

TABLE E-1 Data on Patient Conditions, Initial Treatment, Stage of Osteonecrosis, Sex, and Satisfaction

Case	Condition	Initial Treatment*	Stage of Osteonecrosis	Sex	Satisfaction
1	Hodgkin lymphoma	Corticoid therapy	3	Male	Very satisfied
2	Pituitary adenoma	Corticoid therapy	3	Male	Very satisfied
3	Hodgkin lymphoma	Corticoid therapy	3	Female	Satisfied
4	Pituitary adenoma	Corticoid therapy	2	Male	Very satisfied
5	Hodgkin lymphoma	Corticoid therapy	3	Male	Somewhat disappointed
6	Non-Hodgkin lymphoma	Corticoid therapy	3	Female	Very satisfied
7	Acute myeloid leukemia	Corticoid therapy	4	Male	Very satisfied
8	Acute myeloid leukemia	Corticoid therapy	3	Male	Very satisfied
9	Hodgkin lymphoma	Corticoid therapy	3	Female	Very satisfied
10	3-part fracture	ORIF	4	Female	Satisfied
11	Subcapital fracture	ORIF	4	Male	Satisfied
12	4-part fracture	ORIF	4	Female	Somewhat disappointed
13	3-part fracture	ORIF	4	Female	Very satisfied
14	3-part fracture	Conservative	3	Female	Very satisfied
15	4-part fracture	ORIF	4	Female	Very satisfied
16	3-part fracture	ORIF	3	Male	Satisfied
17	3-part fracture	Conservative	3	Female	Very satisfied

*ORIF = open reduction and internal fixation.