

Appendix E-1

TABLE E-1 Search Strategy

MEDLINE: 148 Studies Strategy	Embase: 1,500 Studies Strategy	PubMed: 1,285 Studies Strategy
1. ACL.mp.	1. ACL.mp.	1. ACL
2. Anterior Cruciate Ligament/	2. anterior cruciate ligament rupture/	2. anterior cruciate ligament
3. Anterior Cruciate Ligament Reconstruction/	3. anterior cruciate ligament/	3. anterior cruciate ligament reconstruction
4. 1 or 2 or 3	4. anterior cruciate ligament reconstruction/	4. 1 or 2 or 3
5. Clinical Trials as Topic/	5. anterior cruciate ligament injury/	5. randomized
6. randomized control trial.mp.	6. 1 or 2 or 3 or 4 or 5	6. randomized controlled trial
7. Randomized Controlled Trials as Topic/	7. randomized.mp.	7. randomized controlled study
8. RCT.mp.	8. controlled clinical trial/	8. 5 or 6 or 7
9. 5 or 6 or 7 or 8	9. "randomized controlled trial (topic)"/	9. 4 and 8
10. 4 and 9	10. 7 or 8 or 9	
	11. 6 and 10	
Data searched: April 14, 2016	Data searched: April 14, 2016	Date searched: April 14, 2016

Appendix E-2

References of Included RCTs

1. Abdallah FW, Whelan DB, Chan VW, Prasad GA, Endersby RV, Theodoropolous J, Oldfield S, Oh J, Brull R. Adductor canal block provides noninferior analgesia and superior quadriceps strength compared with femoral nerve block in anterior cruciate ligament reconstruction. *Anesthesiology*. 2016 May;124(5):1053-64.
2. Abdulatif M, Amin SMM, Aboul-Ela A, Samuel EWM, Abdel-Hakim SMA. Intra-articular versus intravenous magnesium-sulfate as adjuvant to femoral nerve block in arthroscopic knee surgery under general anesthesia: randomized controlled trial. *Egypt J Anaesth*. 2015;31(3):239-46.
3. Adachi N, Ochi M, Uchio Y, Iwasa J, Kuriwaka M, Ito Y. Reconstruction of the anterior cruciate ligament. Single-versus double-bundle multistranded hamstring tendons. *J Bone Joint Surg Br*. 2004 May;86(4):515-20.
4. Adriani E, Mariani PP, Maresca G, Santori N. Healing of the patellar tendon after harvesting of its mid-third for anterior cruciate ligament reconstruction and evolution of the unclosed donor site defect. *Knee Surg Sports Traumatol Arthrosc*. 1995;3(3):138-43.
5. Aglietti P, Giron F, Buzzi R, Biddau F, Sasso F. Anterior cruciate ligament reconstruction: bone-patellar tendon-bone compared with double semitendinosus and gracilis tendon grafts. A prospective, randomized clinical trial. *J Bone Joint Surg Am*. 2004 Oct;86(10):2143-55.
6. Aglietti P, Giron F, Losco M, Cuomo P, Ciardullo A, Mondanelli N. Comparison between single-and double-bundle anterior cruciate ligament reconstruction: a prospective, randomized, single-blinded clinical trial. *Am J Sports Med*. 2010 Jan;38(1):25-34. Epub 2009 Sep 30.
7. Ahldén M, Sernert N, Karlsson J, Kartus J. A prospective randomized study comparing double- and single-bundle techniques for anterior cruciate ligament reconstruction. *Am J Sports Med*. 2013 Nov;41(11):2484-91. Epub 2013 Aug 6.
8. Aissaoui Y, Serghini I, Qamous Y, Seddiki R, Zoubir M, Boughalem M. The parasacral sciatic nerve block does not induce anesthesia of the obturator nerve. *J Anesth*. 2013 Feb;27(1):66-71. Epub 2012 Aug 7.
9. Alford JW, Fadale PD. Evaluation of postoperative bupivacaine infusion for pain management after anterior cruciate ligament reconstruction. *Arthroscopy*. 2003 Oct;19(8):855-61.
10. Amendola A, Faber K, Willits K, Miniaci A, Labib S, Fowler P. Compartment pressure monitoring during anterior cruciate ligament reconstruction. *Arthroscopy*. 1999 Sep;15(6):607-12.
11. Anderson AF, Snyder RB, Lipscomb AB Jr. Anterior cruciate ligament reconstruction. A prospective randomized study of three surgical methods. *Am J Sports Med*. 2001 May-Jun;29(3):272-9.

12. Andersson C, Odensten M, Good L, Gillquist J. Surgical or non-surgical treatment of acute rupture of the anterior cruciate ligament. A randomized study with long-term follow-up. *J Bone Joint Surg Am.* 1989 Aug;71(7):965-74.
13. Andersson C, Odensten M, Gillquist J. Knee function after surgical or nonsurgical treatment of acute rupture of the anterior cruciate ligament: a randomized study with a long-term follow-up period. *Clin Orthop Relat Res.* 1991 Mar;264:255-63.
14. Apostolos K, Georgios K, Omiros C, Christos T. Comparison between ropivacaine 1.5 mg ml⁻¹ plus fentanyl 2 mg ml⁻¹ and ropivacaine 1.5 mg ml⁻¹ plus clonidine 1 mg ml⁻¹ as analgesic solution after anterior cruciate ligament reconstruction: a randomized clinical trial. *Middle East J Anaesthesiol.* 2011 Oct;21(3):341-5.
15. Araki D, Kuroda R, Kubo S, Fujita N, Tei K, Nishimoto K, Hoshino Y, Matsushita T, Matsumoto T, Nagamune K, Kurosaka M. A prospective randomised study of anatomical single-bundle versus double-bundle anterior cruciate ligament reconstruction: quantitative evaluation using an electromagnetic measurement system. *Int Orthop.* 2011 Mar;35(3):439-46. Epub 2010 Aug 24.
16. Arama Y, Salmon LJ, Sri-Ram K, Linklater J, Roe JP, Pinczewski LA. Bioabsorbable versus titanium screws in anterior cruciate ligament reconstruction using hamstring autograft: a prospective, blinded, randomized controlled trial with 5-year follow-up. *Am J Sports Med.* 2015 Aug;43(8):1893-901. Epub 2015 Jun 24.
17. Arciero RA, Scoville CR, Hayda RA, Snyder RJ. The effect of tourniquet use in anterior cruciate ligament reconstruction. A prospective, randomized study. *Am J Sports Med.* 1996 Nov-Dec;24(6):758-64.
18. Armellin G, Nardacchione R, Ori C. Intra-articular sufentanil in multimodal analgesic management after outpatient arthroscopic anterior cruciate ligament reconstruction: a prospective, randomized, double-blinded study. *Arthroscopy.* 2008 Aug;24(8):909-13. Epub 2008 May 19.
19. Arneja S, Froese W, MacDonald P. Augmentation of femoral fixation in hamstring anterior cruciate ligament reconstruction with a bioabsorbable bead: a prospective single-blind randomized clinical trial. *Am J Sports Med.* 2004 Jan-Feb;32(1):159-63.
20. Arti H, Mehdiinasab SA. The comparison effects of intra-articular injection of different opioids on postoperative pain relieve after arthroscopic anterior cruciate ligament reconstruction: a randomized clinical trial study. *J Res Med Sci.* 2011 Sep;16(9):1176-82.
21. Astur DC, Aleluia V, Veronese C, Astur N, Oliveira SG, Arliani GG, Badra R, Kaleka CC, Amaro JT, Cohen M. A prospective double blinded randomized study of anterior cruciate ligament reconstruction with hamstrings tendon and spinal anesthesia with or without femoral nerve block. *Knee.* 2014 Oct;21(5):911-5. Epub 2014 Jun 17.
22. Aune AK, Holm I, Risberg MA, Jensen HK, Steen H. Four-strand hamstring tendon autograft compared with patellar tendon-bone autograft for anterior cruciate ligament reconstruction. A randomized study with two-year follow-up. *Am J Sports Med.* 2001 Nov-Dec;29(6):722-8.
23. Baltaci G, Harput G, Haksever B, Ulusoy B, Ozer H. Comparison between Nintendo Wii Fit and conventional rehabilitation

- on functional performance outcomes after hamstring anterior cruciate ligament reconstruction: prospective, randomized, controlled, double-blind clinical trial. *Knee Surg Sports Traumatol Arthrosc.* 2013 Apr;21(4):880-7. Epub 2012 Apr 29.
24. Barber FA, McGuire DA, Click S. Continuous-flow cold therapy for outpatient anterior cruciate ligament reconstruction. *Arthroscopy.* 1998 Mar;14(2):130-5.
25. Barber FA, Gladu DE. Comparison of oral ketorolac and hydrocodone for pain relief after anterior cruciate ligament reconstruction. *Arthroscopy.* 1998 Sep;14(6):605-12.
26. Barzegar H, Mohseni M, Sedighi A, Shahsavari A, Mohammadpour H. Arthroscopically-assisted vs. open surgery in repairing anterior cruciate ligament avulsion. *Pak J Biol Sci.* 2011 Apr 15;14(8):496-501.
27. Beard DJ, Anderson JL, Davies S, Price AJ, Dodd CAF. Hamstrings vs. patella tendon for anterior cruciate ligament reconstruction: a randomised controlled trial. *Knee.* 2001 Mar;8(1):45-50.
28. Beard DJ, Dodd CA. Home or supervised rehabilitation following anterior cruciate ligament reconstruction: a randomized controlled trial. *J Orthop Sports Phys Ther.* 1998 Feb;27(2):134-43.
29. Beard DJ, Dodd CA, Trundle HR, Simpson AH. Proprioception enhancement for anterior cruciate ligament deficiency. A prospective randomised trial of two physiotherapy regimes. *J Bone Joint Surg Br.* 1994 Jul;76(4):654-9.
30. Benazzo F, Zanon G, Pederzini L, Modonesi F, Cardile C, Falez F, Ciolli L, La Cava F, Giannini S, Buda R, Setti S, Caruso G, Massari L. Effects of biophysical stimulation in patients undergoing arthroscopic reconstruction of anterior cruciate ligament: prospective, randomized and double blind study. *Knee Surg Sports Traumatol Arthrosc.* 2008 Jun;16(6):595-601. Epub 2008 Apr 2.
31. Benea H, d'Astorg H, Klouche S, Bauer T, Tomoaia G, Hardy P. Pain evaluation after all-inside anterior cruciate ligament reconstruction and short term functional results of a prospective randomized study. *Knee.* 2014 Jan;21(1):102-6. Epub 2013 Oct 5.
32. Benedetto KP, Fellingner M, Lim TE, Passler JM, Schoen JL, Willems WJ. A new bioabsorbable interference screw: preliminary results of a prospective, multicenter, randomized clinical trial. *Arthroscopy.* 2000 Jan-Feb;16(1):41-8.
33. Berschin G, Sommer B, Behrens A, Sommer HM. Whole body vibration exercise protocol versus a standard exercise protocol after ACL reconstruction: a clinical randomized controlled trial with short term follow-up. *J Sports Sci Med.* 2014 Sep 1;13(3):580-9: 589.
34. Beyaz S, Özkoç G, Akpınar S, Demir Ş, Adam M, Tuncay IC. Comparison of tunnel expansion and isometric muscle strength after ACL reconstruction with single- or dual-bundle hamstring allograft: a prospective, randomized study. *Acta Orthop Traumatol Turc.* 2012;46(5):353-60.
35. Beynnon BD, Johnson RJ, Fleming BC, Kannus P, Kaplan M, Samani J, Renström P. Anterior cruciate ligament replacement: comparison of bone-patellar tendon-bone grafts with two-strand hamstring grafts. A prospective, randomized study. *J Bone Joint Surg Am.* 2002 Sep;84(9):1503-13.

36. Beynnon BD, Johnson RJ, Naud S, Fleming BC, Abate JA, Brattbakk B, Nichols CE. Accelerated versus nonaccelerated rehabilitation after anterior cruciate ligament reconstruction: a prospective, randomized, double-blind investigation evaluating knee joint laxity using Roentgen stereophotogrammetric analysis. *Am J Sports Med.* 2011 Dec;39(12):2536-48. Epub 2011 Sep 27.
37. Beynnon BD, Uh BS, Johnson RJ, Abate JA, Nichols CE, Fleming BC, Poole AR, Roos H. Rehabilitation after anterior cruciate ligament reconstruction: a prospective, randomized, double-blind comparison of programs administered over 2 different time intervals. *Am J Sports Med.* 2005 Mar;33(3):347-59.
38. Bieler T, Sobol NA, Andersen LL, Kiel P, Løfholm P, Aagaard P, Magnusson SP, Krogsgaard MR, Beyer N. The effects of high-intensity versus low-intensity resistance training on leg extensor power and recovery of knee function after ACL-reconstruction. *Biomed Res Int.* 2014;2014:278512. Epub 2014 Apr 27.
39. Birmingham TB, Bryant DM, Giffin JR, Litchfield RB, Kramer JF, Donner A, Fowler PJ. A randomized controlled trial comparing the effectiveness of functional knee brace and neoprene sleeve use after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2008 Apr;36(4):648-55. Epub 2008 Jan 11.
40. Bohn MB, Sørensen H, Petersen MK, Søballe K, Lind M. Rotational laxity after anatomical ACL reconstruction measured by 3-D motion analysis: a prospective randomized clinical trial comparing anatomic and nonanatomic ACL reconstruction techniques. *Knee Surg Sports Traumatol Arthrosc.* 2015 Dec;23(12):3473-81. Epub 2014 Jul 4.
41. Boonriong T, Tangtrakulwanich B, Glabglay P, Nimmaanrat S. Comparing etoricoxib and celecoxib for preemptive analgesia for acute postoperative pain in patients undergoing arthroscopic anterior cruciate ligament reconstruction: a randomized controlled trial. *BMC Musculoskelet Disord.* 2010 Oct 25;11(1):246.
42. Bottoni CR, Liddell TR, Trainor TJ, Freccero DM, Lindell KK. Postoperative range of motion following anterior cruciate ligament reconstruction using autograft hamstrings: a prospective, randomized clinical trial of early versus delayed reconstructions. *Am J Sports Med.* 2008 Apr;36(4):656-62. Epub 2008 Jan 22.
43. Bottoni CR, Smith EL, Shaha J, Shaha SS, Raybin SG, Tokish JM, Rowles DJ. Autograft versus allograft anterior cruciate ligament reconstruction: a prospective, randomized clinical study with a minimum 10-year follow-up. *Am J Sports Med.* 2015 Oct;43(10):2501-9. Epub 2015 Aug 26.
44. Bourke HE, Salmon LJ, Waller A, Winalski CS, Williams HA, Linklater JM, VasANJI A, Roe JP, Pinczewski LA. Randomized controlled trial of osteoconductive fixation screws for anterior cruciate ligament reconstruction: a comparison of the Calaxo and Milagro screws. *Arthroscopy.* 2013 Jan;29(1):74-82.
45. Brandsson S, Faxén E, Eriksson BI, Kälebo P, Swärd L, Lundin O, Karlsson J. Closing patellar tendon defects after anterior cruciate ligament reconstruction: absence of any benefit. *Knee Surg Sports Traumatol Arthrosc.* 1998;6(2):82-7.

46. Brandsson S, Faxén E, Kartus J, Eriksson BI, Karlsson J. Is a knee brace advantageous after anterior cruciate ligament surgery? A prospective, randomised study with a two-year follow-up. *Scand J Med Sci Sports*. 2001 Apr;11(2):110-4.
47. Brandsson S, Karlsson J, Morberg P, Rydgren B, Eriksson BI, Hedner T. Intraarticular morphine after arthroscopic ACL reconstruction: a double-blind placebo-controlled study of 40 patients. *Acta Orthop Scand*. 2000 Jun;71(3):280-5.
48. Brandsson S, Rydgren B, Hedner T, Eriksson BI, Lundin O, Swärd L, Karlsson J. Postoperative analgesic effects of an external cooling system and intra-articular bupivacaine/morphine after arthroscopic cruciate ligament surgery. *Knee Surg Sports Traumatol Arthrosc*. 1996;4(4):200-5.
49. Bushnell BD, Sakryd G, Noonan TJ. Hamstring donor-site block: evaluation of pain control after anterior cruciate ligament reconstruction. *Arthroscopy*. 2010 Jul;26(7):894-900. Epub 2010 May 13.
50. Butterfield NN, Schwarz SKW, Ries CR, Franciosi LG, Day B, MacLeod BA. Combined pre- and post-surgical bupivacaine wound infiltrations decrease opioid requirements after knee ligament reconstruction. *Can J Anaesth*. 2001 Mar;48(3):245-50.
51. Bynum EB, Barrack RL, Alexander AH. Open versus closed chain kinetic exercises after anterior cruciate ligament reconstruction. A prospective randomized study. *Am J Sports Med*. 1995 Jul-Aug;23(4):401-6.
52. Cameron SE, Wilson W, St Pierre P. A prospective, randomized comparison of open vs arthroscopically assisted ACL reconstruction. *Orthopedics*. 1995 Mar;18(3):249-52.
53. Cappelleri G, Ghisi D, Fanelli A, Aldegheri G, La Colla L, Albertin A. Posterior psoas vs 3-in-1 approach for lateral femoral cutaneous and obturator nerve block for anterior cruciate ligament repair. *Minerva Anesthesiol*. 2009 Oct;75(10):568-73.
54. Cervellin M, de Girolamo L, Bait C, Denti M, Volpi P. Autologous platelet-rich plasma gel to reduce donor-site morbidity after patellar tendon graft harvesting for anterior cruciate ligament reconstruction: a randomized, controlled clinical study. *Knee Surg Sports Traumatol Arthrosc*. 2012 Jan;20(1):114-20. Epub 2011 Jun 16.
55. Chau JYM, Chan WL, Woo SB, Cheng SC, Wong TM, Wong TK, Yen CH, Wong K, Wong WC. Hyaluronic acid instillation following arthroscopic anterior cruciate ligament reconstruction: a double-blinded, randomised controlled study. *J Orthop Surg (Hong Kong)*. 2012 Aug;20(2):162-5.
56. Chen J, Gu A, Jiang H, Zhang W, Yu X. A comparison of acute and chronic anterior cruciate ligament reconstruction using LARS artificial ligaments: a randomized prospective study with a 5-year follow-up. *Arch Orthop Trauma Surg*. 2015 Jan;135(1):95-102. Epub 2014 Nov 9.
57. Christanell F, Hoser C, Huber R, Fink C, Luomajoki H. The influence of electromyographic biofeedback therapy on knee extension following anterior cruciate ligament reconstruction: a randomized controlled trial. *Sports Med Arthrosc Rehabil Ther Technol*. 2012 Nov 6;4(1):41.
58. Claes S, Neven E, Callewaert B, Desloovere K, Bellemans J. Tibial rotation in single- and double-bundle ACL reconstruction: a kinematic 3-D in vivo analysis. *Knee Surg*

- Sports Traumatol Arthrosc. 2011 Dec;19(Suppl 1):S115-21. Epub 2011 Jun 11.
59. Cooper RL, Taylor NF, Feller JA. A randomised controlled trial of proprioceptive and balance training after surgical reconstruction of the anterior cruciate ligament. *Res Sports Med.* 2005 Jul-Sep;13(3):217-30.
60. Couture DJ, Cuniff HM, Maye JP, Pellegrini J. The addition of clonidine to bupivacaine in combined femoral-sciatic nerve block for anterior cruciate ligament reconstruction. *AANA J.* 2004 Aug;72(4):273-8.
61. D'Alessandro P, Wake G, Annear P. Hamstring pain and muscle strains following anterior cruciate ligament reconstruction: a prospective, randomized trial comparing hamstring graft harvest techniques. *J Knee Surg.* 2013 Apr;26(2):139-44. Epub 2012 Sep 10.
62. da Silva Guarilha E, de Andrade Fíguro Caldeira PR, de Almeida Lira Neto O, Navarro MS, Milani A, Filho MC. Randomized prospective study comparing transverse and extracortical fixation in anterior cruciate ligament reconstruction. *Rev Bras Ortop.* 2015 Dec 6;47(3):354-8.
63. Dahl V, Dybvik T, Steen T, Aune AK, Rosenlund EK, Raeder JC. Ibuprofen vs. acetaminophen vs. ibuprofen and acetaminophen after arthroscopically assisted anterior cruciate ligament reconstruction. *Eur J Anaesthesiol.* 2004 Jun;21(6):471-5.
64. Dahl V, Spreng UJ, Waage M, Raeder JC. Short stay and less pain after ambulatory anterior cruciate ligament (ACL) repair: COX-2 inhibitor versus glucocorticoid versus both combined. *Acta Anaesthesiol Scand.* 2012 Jan;56(1):95-101. Epub 2011 Nov 21.
65. Dahlstedt L, Dalén N, Jonsson U. GoreTex prosthetic ligament vs. Kennedy ligament augmentation device in anterior cruciate ligament reconstruction. A prospective randomized 3-year follow-up of 41 cases. *Acta Orthop Scand.* 1990 Jun;61(3):217-24.
66. Dai C, Wang F, Wang X, Wang R, Wang S, Tang S. Arthroscopic single-bundle anterior cruciate ligament reconstruction with six-strand hamstring tendon allograft versus bone-patellar tendon-bone allograft. *Knee Surg Sports Traumatol Arthrosc.* 2016; Sep;24(9):2915-22. Epub 2015 Mar 13.
67. Daniel DM, Stone ML, Arendt DL. The effect of cold therapy on pain, swelling, and range of motion after anterior cruciate ligament reconstructive surgery. *Arthroscopy.* 1994 Oct;10(5):530-3.
68. Darabos N, Haspl M, Moser C, Darabos A, Bartolek D, Groenemeyer D. Intraarticular application of autologous conditioned serum (ACS) reduces bone tunnel widening after ACL reconstructive surgery in a randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2011 Dec;19(Suppl 1):S36-46. Epub 2011 Mar 1.
69. Dauri M, Polzoni M, Fabbi E, Sidiropoulou T, Servetti S, Coniglione F, Mariani P, Sabato AF. Comparison of epidural, continuous femoral block and intraarticular analgesia after anterior cruciate ligament reconstruction. *Acta Anaesthesiol Scand.* 2003 Jan;47(1):20-5.
70. Dauri M, Sidiropoulou T, Fabbi E, Giannelli M, Faria S, Mariani P, Sabato AF. Efficacy of continuous femoral nerve block with stimulating catheters versus nonstimulating catheters for anterior cruciate ligament reconstruction. *Reg Anesth Pain Med.* 2007 Jul-Aug;32(4):282-7.

71. Dauri M, Sidiropoulou T, Fabbi E, Mariani PP, Sabato AF. Intentional lateral epidural catheter placement for anterior cruciate ligament reconstruction. *Acta Anaesthesiol Scand*. 2005 May;49(5):671-6.
72. Dauty M, Menu P, Dubois C. Effects of running retraining after knee anterior cruciate ligament reconstruction. *Ann Phys Rehabil Med*. 2010 Apr;53(3):150-61. Epub 2010 Jan 16.
73. de Almeida AM, Demange MK, Sobrado MF, Rodrigues MB, Pedrinelli A, Hernandez AJ. Patellar tendon healing with platelet-rich plasma: a prospective randomized controlled trial. *Am J Sports Med*. 2012 Jun;40(6):1282-8. Epub 2012 Apr 2.
74. De Wall M, Scholes CJ, Patel S, Coolican MRJ, Parker DA. Tibial fixation in anterior cruciate ligament reconstruction: a prospective randomized study comparing metal interference screw and staples with a centrally placed polyethylene screw and sheath. *Am J Sports Med*. 2011 Sep;39(9):1858-64. Epub 2011 May 27.
75. Debieux P, Carneiro M, de Queiroz AAB, Luzo MVM, Granata GSM, Ferreira FP. Sagittal and rotational knee stability following single- and double-bundle reconstruction of the anterior cruciate ligament: a randomized clinical trial. *Eur Orthop Traumatol*. 2012;3(1):49-54.
76. Decker MJ, Torry MR, Noonan TJ, Sterett WI, Steadman JR. Gait retraining after anterior cruciate ligament reconstruction. *Arch Phys Med Rehabil*. 2004 May;85(5):848-56.
77. Delitto A, Rose SJ, McKowen JM, Lehman RC, Thomas JA, Shively RA. Electrical stimulation versus voluntary exercise in strengthening thigh musculature after anterior cruciate ligament surgery. *Phys Ther*. 1988 May;68(5):660-3.
78. Demirag B, Ermutlu C, Aydemir F, Durak K. A comparison of clinical outcome of augmentation and standard reconstruction techniques for partial anterior cruciate ligament tears. *Ekleml Hastalik Cerrahisi*. 2012;23(3):140-4.
79. Dauri M, Fabbi E, Mariani P, Faria S, Carpenedo R, Sidiropoulou T, Coniglione F, Silvi MB, Sabato AF. Continuous femoral nerve block provides superior analgesia compared with continuous intra-articular and wound infusion after anterior cruciate ligament reconstruction. *Reg Anesth Pain Med*. 2009 Mar-Apr;34(2):95-9.
80. Denti M, Randelli P, Bigoni M, Vitale G, Marino MR, Fraschini N. Pre- and postoperative intra-articular analgesia for arthroscopic surgery of the knee and arthroscopy-assisted anterior cruciate ligament reconstruction. A double-blind randomized, prospective study. *Knee Surg Sports Traumatol Arthrosc*. 1997;5(4):206-12.
81. Dervin GF, Taylor DE, Keene GC. Effects of cold and compression dressings on early postoperative outcomes for the arthroscopic anterior cruciate ligament reconstruction patient. *J Orthop Sports Phys Ther*. 1998 Jun;27(6):403-6.
82. Dhawan A, Doukas WC, Papazis JA, Scoville CR. Effect of drain use in the early postoperative period after arthroscopically assisted anterior cruciate ligament reconstruction with bone-patellar tendon-bone graft. *Am J Sports Med*. 2003 May-Jun;31(3):419-24.
83. Draper V, Ballard L. Electrical stimulation versus electromyographic biofeedback in the recovery of

- quadriceps femoris muscle function following anterior cruciate ligament surgery. *Phys Ther.* 1991 Jun;71(6):455-61; discussion 461-4.
84. Drogset JO, Straume LG, Bjørkmo I, Myhr G. A prospective randomized study of ACL-reconstructions using bone-patellar tendon-bone grafts fixed with bioabsorbable or metal interference screws. *Knee Surg Sports Traumatol Arthrosc.* 2011 May;19(5):753-9. Epub 2011 Jan 14.
 85. Eajazi A, Madadi F, Madadi F, Boreiri M. Comparison of different methods of femoral fixation anterior cruciate ligament reconstruction. *Acta Med Iran.* 2013 Aug 7;51(7):444-8.
 86. Edwards DJ, Rimmer M, Keene GC. The use of cold therapy in the postoperative management of patients undergoing arthroscopic anterior cruciate ligament reconstruction. *Am J Sports Med.* 1996 Mar-Apr;24(2):193-5.
 87. Drogset JO, Grøntvedt T. Anterior cruciate ligament reconstruction with and without a ligament augmentation device: results at 8-year follow-up. *Am J Sports Med.* 2002 Nov-Dec;30(6):851-6.
 88. Ejerhed L, Kartus J, Köhler K, Sernert N, Brandsson S, Karlsson J. Preconditioning patellar tendon autografts in arthroscopic anterior cruciate ligament reconstruction: a prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* 2001;9(1):6-11.
 89. Ejerhed L, Kartus J, Sernert N, Köhler K, Karlsson J. Patellar tendon or semitendinosus tendon autografts for anterior cruciate ligament reconstruction? A prospective randomized study with a two-year follow-up. *Am J Sports Med.* 2003 Jan-Feb;31(1):19-25.
 90. Ekmekci P, Bengisun ZK, Akan B, Kazbek BK, Ozkan KS, Suer AH. The effect of magnesium added to levobupivacaine for femoral nerve block on postoperative analgesia in patients undergoing ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2013 May;21(5):1119-24. Epub 2012 Jun 14
 91. El Ahl MS. Femoral nerve block versus adductor canal block for postoperative pain control after anterior cruciate ligament reconstruction: a randomized controlled double blind study. *Saudi J Anaesth.* 2015 Jul-Sep;9(3):279-82.
 92. Ende D, Jung C, Becker U, Bauer G, Mauch F. Anterior cruciate ligament reconstruction with and without computer navigation: a clinical and magnetic resonance imaging evaluation 2 years after surgery. *Arthroscopy.* 2009 Oct;25(10):1067-74.
 93. Engebretsen L, Benum P, Fasting O, Mølster A, Strand T. A prospective, randomized study of three surgical techniques for treatment of acute ruptures of the anterior cruciate ligament. *Am J Sports Med.* 1990 Nov-Dec;18(6):585-90.
 94. Engström B, Wredmark T, Westblad P. Patellar tendon or Leeds-Keio graft in the surgical treatment of anterior cruciate ligament ruptures. Intermediate results. *Clin Orthop Relat Res.* 1993 Oct;295:190-7.
 95. Engström B, Sperber A, Wredmark T. Continuous passive motion in rehabilitation after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 1995;3(1):18-20.
 96. Eraslan A, Ulkar B. Glucosamine supplementation after anterior cruciate ligament reconstruction in athletes: a randomized

- placebo-controlled trial. *Res Sports Med.* 2015;23(1):14-26.
97. Eriksson K, Anderberg P, Hamberg P, Löfgren AC, Bredenberg M, Westman I, Wredmark T. A comparison of quadruple semitendinosus and patellar tendon grafts in reconstruction of the anterior cruciate ligament. *J Bone Joint Surg Br.* 2001 Apr;83(3):348-54.
98. Eriksson K, Anderberg P, Hamberg P, Olerud P, Wredmark T. There are differences in early morbidity after ACL reconstruction when comparing patellar tendon and semitendinosus tendon graft. A prospective randomized study of 107 patients. *Scand J Med Sci Sports.* 2001 Jun;11(3):170-7.
99. Espelund M, Fomsgaard JS, Haraszuk J, Mathiesen O, Dahl JB. Analgesic efficacy of ultrasound-guided adductor canal blockade after arthroscopic anterior cruciate ligament reconstruction: a randomised controlled trial. *Eur J Anaesthesiol.* 2013 Jul;30(7):422-8.
100. Fanton GS, Dillingham MF, Wall MS, Gillenwater GE, Khan AM, Carver TJ, Perkins JG, Demopoulos GA. Novel drug product to improve joint motion and function and reduce pain after arthroscopic anterior cruciate ligament reconstruction. *Arthroscopy.* 2008 Jun;24(6):625-36.
101. Farid IS, Heiner EJ, Fleissner PR. Comparison of femoral nerve block and fascia iliaca block for analgesia following reconstructive knee surgery in adolescents. *J Clin Anesth.* 2010 Jun;22(4):256-9.
102. Fauno P, Kaalund S. Tunnel widening after hamstring anterior cruciate ligament reconstruction is influenced by the type of graft fixation used: a prospective randomized study. *Arthroscopy.* 2005 Nov;21(11):1337-41.
103. Faunø P, Lund B, Christiansen SE, Gjøderum O, Lind M. Analgesic effect of hamstring block after anterior cruciate ligament reconstruction compared with placebo: a prospective randomized trial. *Arthroscopy.* 2015 Jan;31(1):63-8. Epub 2014 Sep 17.
104. Feil S, Newell J, Minogue C, Paessler HH. The effectiveness of supplementing a standard rehabilitation program with superimposed neuromuscular electrical stimulation after anterior cruciate ligament reconstruction: a prospective, randomized, single-blind study. *Am J Sports Med.* 2011 Jun;39(6):1238-47. Epub 2011 Feb 22.
105. Feller JA, Webster KE. A randomized comparison of patellar tendon and hamstring tendon anterior cruciate ligament reconstruction. *Am J Sports Med.* 2003 Jul-Aug;31(4):564-73.
106. Feller J, Bartlett J, Chapman S, Delahunt M. Use of an extension-assisting brace following anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 1997;5(1):6-9.
107. Ferretti A, Vadalà A, De Carli A, Argento G, Conteduca F, Severini G. Minimizing internal rotation strength deficit after use of semitendinosus for anterior cruciate ligament reconstruction: a modified harvesting technique. *Arthroscopy.* 2008 Jul;24(7):786-95. Epub 2008 Apr 21.
108. Fischer DA, Tewes DP, Boyd JL, Smith JP, Quick DC. Home based rehabilitation for anterior cruciate ligament reconstruction. *Clin Orthop Relat Res.* 1998 Feb;347:194-9.

109. Fitzgerald GK, Piva SR, Irrgang JJ. A modified neuromuscular electrical stimulation protocol for quadriceps strength training following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther.* 2003 Sep;33(9):492-501.
110. Fleming BC, Fadale PD, Hulstyn MJ, Shalvoy RM, Oksendahl HL, Badger GJ, Tung GA. The effect of initial graft tension after anterior cruciate ligament reconstruction: a randomized clinical trial with 36-month follow-up. *Am J Sports Med.* 2013 Jan;41(1):25-34. Epub 2012 Nov 9.
111. Franz W, Baumann A. Minimally invasive semitendinosus tendon harvesting from the popliteal fossa versus conventional hamstring tendon harvesting for ACL reconstruction: a prospective, randomised controlled trial in 100 patients. *Knee.* 2016 Jan;23(1):106-10. Epub 2016 Jan 3.
112. Friemert B, Bach C, Schwarz W, Gerngross H, Schmidt R. Benefits of active motion for joint position sense. *Knee Surg Sports Traumatol Arthrosc.* 2006 Jun;14(6):564-70. Epub 2005 Nov 23.
113. Frobell RB, Roos EM, Roos HP, Ranstam J, Lohmander LS. A randomized trial of treatment for acute anterior cruciate ligament tears. *N Engl J Med.* 2010 Jul 22;363(4):331-42.
114. Frost S, Grossfeld S, Kirkley A, Litchfield B, Fowler P, Amendola A. The efficacy of femoral nerve block in pain reduction for outpatient hamstring anterior cruciate ligament reconstruction: a double-blind, prospective, randomized trial. *Arthroscopy.* 2000 Apr;16(3):243-8.
115. Fu CL, Yung SH, Law KY, Leung KH, Lui PY, Siu HK, Chan KM. The effect of early whole-body vibration therapy on neuromuscular control after anterior cruciate ligament reconstruction: a randomized controlled trial. *Am J Sports Med.* 2013 Apr;41(4):804-14. Epub 2013 Mar 4.
116. Fujita N, Kuroda R, Matsumoto T, Yamaguchi M, Yagi M, Matsumoto A, Kubo S, Matsushita T, Hoshino Y, Nishimoto K, Araki D, Kurosaka M. Comparison of the clinical outcome of double-bundle, anteromedial single-bundle, and posterolateral single-bundle anterior cruciate ligament reconstruction using hamstring tendon graft with minimum 2-year follow-up. *Arthroscopy.* 2011 Jul;27(7):906-13. Epub 2011 May 7.
117. Fukuda TY, Fingerhut D, Moreira VC, Camarini PM, Scodeller NF, Duarte A Jr, Martinelli M, Bryk FF. Open kinetic chain exercises in a restricted range of motion after anterior cruciate ligament reconstruction: a randomized controlled clinical trial. *Am J Sports Med.* 2013 Apr;41(4):788-94. Epub 2013 Feb 19.
118. Gerber JP, Marcus RL, Dibble LE, Greis PE, Burks RT, LaStayo PC. Effects of early progressive eccentric exercise on muscle structure after anterior cruciate ligament reconstruction. *J Bone Joint Surg Am.* 2007 Mar;89(3):559-70.
119. Gerich TG, Lattermann C, Fremerey RW, Zeichen J, Lobenhoffer HP. One- versus two-incision technique for anterior cruciate ligament reconstruction with patellar tendon graft. Results on early rehabilitation and stability. *Knee Surg Sports Traumatol Arthrosc.* 1997;5(4):213-6.
120. Ghalayini SR, Helm AT, Bonshahi AY, Lavender A, Johnson DS, Smith RB. Arthroscopic anterior cruciate ligament surgery: results of autogenous patellar tendon graft versus the Leeds-Keio synthetic graft five year follow-up of a

- prospective randomised controlled trial. *Knee*. 2010 Oct;17(5):334-9. Epub 2009 Oct 25.
121. Gifstad T, Drogset JO, Grøntvedt T, Hortemo GS. Femoral fixation of hamstring tendon grafts in ACL reconstructions: the 2-year follow-up results of a prospective randomized controlled study. *Knee Surg Sports Traumatol Arthrosc*. 2014 Sep;22(9):2153-62. Epub 2013 Sep 5.
 122. Gobbi A, Domzalski M, Pascual J, Zanazzo M. Hamstring anterior cruciate ligament reconstruction: is it necessary to sacrifice the gracilis? *Arthroscopy*. 2005 Mar;21(3):275-80.
 123. Gohil S, Annear PO, Breidahl W. Anterior cruciate ligament reconstruction using autologous double hamstrings: a comparison of standard versus minimal debridement techniques using MRI to assess revascularisation. A randomised prospective study with a one-year follow-up. *J Bone Joint Surg Br*. 2007 Sep;89(9):1165-71.
 124. Grant JA, Mohtadi NGH, Maitland ME, Zernicke RF. Comparison of home versus physical therapy-supervised rehabilitation programs after anterior cruciate ligament reconstruction: a randomized clinical trial. *Am J Sports Med*. 2005 Sep;33(9):1288-97. Epub 2005 Jul 7.
 125. Grunau PD, Arneja S, Leith JM. A randomized clinical trial to assess the clinical effectiveness of a measured objective tensioning device in hamstring anterior cruciate ligament reconstruction. *Am J Sports Med*. 2016 Jun;44(6):1482-6. Epub 2016 Mar 15.
 126. Grøntvedt T, Engebretsen L, Benum P, Fasting O, Mølster A, Strand T. A prospective, randomized study of three operations for acute rupture of the anterior cruciate ligament. Five-year follow-up of one hundred and thirty-one patients. *J Bone Joint Surg Am*. 1996 Feb;78(2):159-68.
 127. Guglielmetti LG, Cury Rde P, de Oliveira VM, de Camargo OP, Severino NR, Fucs PM. Anterior cruciate ligament reconstruction: a new cortical suspension device for femoral fixation with transtibial and transportal techniques. *J Orthop Surg Res*. 2014 Nov 19;9:110.
 128. Guirro UB, Tambara EM, Munhoz FR. Femoral nerve block: assessment of postoperative analgesia in arthroscopic anterior cruciate ligament reconstruction. *Braz J Anesthesiol*. 2013 Nov-Dec;63(6):483-91. Epub 2013 Dec 5.
 129. Guler G, Karaoglu S, Akin A, Dogru K, Demir L, Madenoglu H, Boyaci A. When to inject analgesic agents intra-articularly in anterior cruciate ligament reconstruction: before or after tourniquet releasing. *Arthroscopy*. 2004 Nov;20(9):918-21.
 130. Guler G, Karaoglu S, Velibasoglu H, Ramazanogullari N, Boyaci A. Comparison of analgesic effects of intra-articular tenoxicam and morphine in anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2002 Jul;10(4):229-32. Epub 2002 Mar 27.
 131. Halinen J, Lindahl J, Hirvensalo E. Range of motion and quadriceps muscle power after early surgical treatment of acute combined anterior cruciate and grade-III medial collateral ligament injuries. A prospective randomized study. *J Bone Joint Surg Am*. 2009 Jun;91(6):1305-12.
 132. Harilainen A, Sandelin J. A prospective comparison of 3 hamstring ACL fixation devices—Rigidfix, BioScrew, and Intrafix—randomized into 4 groups with 2 years of follow-

- up. *Am J Sports Med.* 2009 Apr;37(4):699-706. Epub 2009 Feb 2.
133. Harilainen A, Linko E, Sandelin J. Randomized prospective study of ACL reconstruction with interference screw fixation in patellar tendon autografts versus femoral metal plate suspension and tibial post fixation in hamstring tendon autografts: 5-year clinical and radiological follow-up results. *Knee Surg Sports Traumatol Arthrosc.* 2006 Jun;14(6):517-28. Epub 2006 Mar 22.
134. Harilainen A, Myllynen P. Treatment of fresh tears of the anterior cruciate ligament. A comparison of primary suture and augmentation with carbon fibre. *Injury.* 1987 Nov;18(6):396-400.
135. Harilainen A, Sandelin J, Jansson KA. Cross-pin femoral fixation versus metal interference screw fixation in anterior cruciate ligament reconstruction with hamstring tendons: results of a controlled prospective randomized study with 2-year follow-up. *Arthroscopy.* 2005 Jan;21(1):25-33.
136. Harilainen A, Sandelin J, Vanhanen I, Kivinen A. Knee brace after bone-tendon-bone anterior cruciate ligament reconstruction. Randomized, prospective study with 2-year follow-up. *Knee Surg Sports Traumatol Arthrosc.* 1997;5(1):10-3.
137. Hart JM, Kuenze CM, Pietrosimone BG, Ingersoll CD. Quadriceps function in anterior cruciate ligament-deficient knees exercising with transcutaneous electrical nerve stimulation and cryotherapy: a randomized controlled study. *Clin Rehabil.* 2012 Nov;26(11):974-81. Epub 2012 Mar 7.
138. Hart R, Krejzla J, Sváb P, Kocis J, Stipčák V. Outcomes after conventional versus computer-navigated anterior cruciate ligament reconstruction. *Arthroscopy.* 2008 May;24(5):569-78. Epub 2008 Feb 1.
139. Hartigan EH, Axe MJ, Snyder-Mackler L. Time line for noncopers to pass return-to-sports criteria after anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther.* 2010 Mar;40(3):141-54.
140. Heijne A, Werner S. Early versus late start of open kinetic chain quadriceps exercises after ACL reconstruction with patellar tendon or hamstring grafts: a prospective randomized outcome study. *Knee Surg Sports Traumatol Arthrosc.* 2007 Apr;15(4):402-14. Epub 2007 Jan 12.
141. Hemmerich A, van der Merwe W, Batterham M, Vaughan CL. Knee rotational laxity in a randomized comparison of single- versus double-bundle anterior cruciate ligament reconstruction. *Am J Sports Med.* 2011 Jan;39(1):48-56. Epub 2010 Oct 17.
142. Henriksson M, Rockborn P, Good L. Range of motion training in brace vs. plaster immobilization after anterior cruciate ligament reconstruction: a prospective randomized comparison with a 2-year follow-up. *Scand J Med Sci Sports.* 2002 Apr;12(2):73-80.
143. Hess T, Duchow J, Roland S, Kohn D. Single-versus two-incision technique in anterior cruciate ligament replacement: influence on postoperative muscle function. *Am J Sports Med.* 2002 Jan-Feb;30(1):27-31.
144. Hiemstra LA, Heard SM, Sasyniuk TM, Buchko GL, Reed JG, Monteleone BJ. Knee immobilization for pain control after a hamstring tendon anterior cruciate ligament

- reconstruction: a randomized clinical trial. *Am J Sports Med.* 2009 Jan;37(1):56-64. Epub 2008 Sep 18.
145. Hill PF, Russell VJ, Salmon LJ, Pinczewski LA. The influence of supplementary tibial fixation on laxity measurements after anterior cruciate ligament reconstruction with hamstring tendons in female patients. *Am J Sports Med.* 2005 Jan;33(1):94-101.
146. Hoenecke HR Jr, Pulido PA, Morris BA, Fronek J. The efficacy of continuous bupivacaine infiltration following anterior cruciate ligament reconstruction. *Arthroscopy.* 2002 Oct;18(8):854-8.
147. Höher J, Kersten D, Bouillon B, Neugebauer E, Tiling T. Local and intra-articular infiltration of bupivacaine before surgery: effect on postoperative pain after anterior cruciate ligament reconstruction. *Arthroscopy.* 1997 Apr;13(2):210-7.
148. Hohmann E, Tetsworth K, Bryant A. Physiotherapy-guided versus home-based, unsupervised rehabilitation in isolated anterior cruciate injuries following surgical reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2011 Jul;19(7):1158-67. Epub 2011 Jan 26.
149. Hollis R, West H, Greis P, Brown N, Burks R. Autologous bone effects on femoral tunnel widening in hamstring anterior cruciate ligament reconstruction. *J Knee Surg.* 2009 Apr;22(2):114-9.
150. Holm I, Oiestad BE, Risberg MA, Aune AK. No difference in knee function or prevalence of osteoarthritis after reconstruction of the anterior cruciate ligament with 4-strand hamstring autograft versus patellar tendon-bone autograft: a randomized study with 10-year follow-up. *Am J Sports Med.* 2010 Mar;38(3):448-54. Epub 2010 Jan 23.
151. Holm L, Esmarck B, Mizuno M, Hansen H, Suetta C, Hölmich P, Krogsgaard M, Kjaer M. The effect of protein and carbohydrate supplementation on strength training outcome of rehabilitation in ACL patients. *J Orthop Res.* 2006 Nov;24(11):2114-23.
152. Hong L, Li X, Zhang H, Liu X, Zhang J, Shen JW, Feng H. Anterior cruciate ligament reconstruction with remnant preservation: a prospective, randomized controlled study. *Am J Sports Med.* 2012 Dec;40(12):2747-55. Epub 2012 Oct 17.
153. Hooper DM, Morrissey MC, Drechsler W, Morrissey D, King J. Open and closed kinetic chain exercises in the early period after anterior cruciate ligament reconstruction. Improvements in level walking, stair ascent, and stair descent. *Am J Sports Med.* 2001 Mar-Apr;29(2):167-74.
154. Hooper J, Rosaeg OP, Krepski B, Johnson DH. Tourniquet inflation during arthroscopic knee ligament surgery does not increase postoperative pain. *Can J Anaesth.* 1999 Oct;46(10):925-9.
155. Hosseini H, Abrisham SMJ, Jomeh H, Kermani-Alghoraishi M, Ghahramani R, Mozayan MR. The comparison of intraarticular morphine-bupivacaine and tramadol-bupivacaine in postoperative analgesia after arthroscopic anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2012 Sep;20(9):1839-44. Epub 2011 Nov 24.
156. Huang MH, Yang RC, Chou PH. Preliminary effects of hyaluronic acid on early rehabilitation of patients with

- isolated anterior cruciate ligament reconstruction. *Clin J Sport Med.* 2007 Jul;17(4):242-50.
157. Hussein M, van Eck CF, Cretnik A, Dinevski D, Fu FH. Prospective randomized clinical evaluation of conventional single-bundle, anatomic single-bundle, and anatomic double-bundle anterior cruciate ligament reconstruction: 281 cases with 3- to 5-year follow-up. *Am J Sports Med.* 2012 Mar;40(3):512-20. Epub 2011 Nov 15.
158. Hwang DH, Shetty GM, Kim JI, Kwon JH, Song JK, Muñoz M, Lee JS, Nha KW. Does press-fit technique reduce tunnel volume enlargement after anterior cruciate ligament reconstruction with autologous hamstring tendons? A prospective randomized computed tomography study. *Arthroscopy.* 2013 Jan;29(1):83-8.
159. Ibrahim SA, Abdul Ghafar S, Marwan Y, Mahgoub AM, Al Misfer A, Farouk H, Wagdy M, Alherran H, Khirait S. Intratunnel versus extratunnel autologous hamstring double-bundle graft for anterior cruciate ligament reconstruction: a comparison of 2 femoral fixation procedures. *Am J Sports Med.* 2015 Jan;43(1):161-8. Epub 2014 Oct 27.
160. Ibrahim SA, Hamido F, Al Misfer AK, Mahgoob A, Ghafar SA, Alhran H. Anterior cruciate ligament reconstruction using autologous hamstring double bundle graft compared with single bundle procedures. *J Bone Joint Surg Br.* 2009 Oct;91(10):1310-5.
161. Imbert P, Schlatterer B. A risk-benefit analysis of alternating low-pressure CO2 insufflation and fluid medium in arthroscopic knee ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2014 Jul;22(7):1483-90. Epub 2013 Mar 17.
162. Indelicato PA, Ciccotti MG, Boyd J, Higgins LD, Shaffer BS, Vangsness CT Jr. Aseptically processed and chemically sterilized BTB allografts for anterior cruciate ligament reconstruction: a prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* 2013 Sep;21(9):2107-12. Epub 2012 Dec 1.
163. Iorio R, Di Sanzo V, Vadalà A, Conteduca J, Mazza D, Redler A, Bolle G, Conteduca F, Ferretti A. ACL reconstruction with hamstrings: how different technique and fixation devices influence bone tunnel enlargement. *Eur Rev Med Pharmacol Sci.* 2013 Nov;17(21):2956-61.
164. Ibrahim SA, Al-Kussary IM, Al-Misfer ARK, Al-Mutairi HQ, Ghafar SA, El Noor TA. Clinical evaluation of arthroscopically assisted anterior cruciate ligament reconstruction: patellar tendon versus gracilis and semitendinosus autograft. *Arthroscopy.* 2005 Apr;21(4):412-7.
165. Iskandar H, Benard A, Ruel-Raymond J, Cochard G, Manaud B. Femoral block provides superior analgesia compared with intra-articular ropivacaine after anterior cruciate ligament reconstruction. *Reg Anesth Pain Med.* 2003 Jan-Feb;28(1):29-32.
166. Ito Y, Deie M, Adachi N, Kobayashi K, Kanaya A, Miyamoto A, Nakasa T, Ochi M. A prospective study of 3-day versus 2-week immobilization period after anterior cruciate ligament reconstruction. *Knee.* 2007 Jan;14(1):34-8. Epub 2006 Nov 28.
167. Iversen E, Røstad V, Larmo A. Intermittent blood flow restriction does not reduce atrophy following anterior

- cruciate ligament reconstruction. *J Sport Health Sci.* 2016;5(1):115-8.
168. Jagodzinski M, Geiges B, von Falck C, Knobloch K, Haasper C, Brand J, Hankemeier S, Krettek C, Meller R. Biodegradable screw versus a press-fit bone plug fixation for hamstring anterior cruciate ligament reconstruction: a prospective randomized study. *Am J Sports Med.* 2010 Mar;38(3):501-8. Epub 2009 Dec 31.
169. Jansen TK, Miller BE, Arretche N, Pellegrini JE. Will the addition of a sciatic nerve block to a femoral nerve block provide better pain control following anterior cruciate ligament repair surgery? *AANA J.* 2009 Jun;77(3):213-8.
170. Jansson KA, Linko E, Sandelin J, Harilainen A. A prospective randomized study of patellar versus hamstring tendon autografts for anterior cruciate ligament reconstruction. *Am J Sports Med.* 2003 Jan-Feb;31(1):12-8.
171. Järvelä T. Double-bundle versus single-bundle anterior cruciate ligament reconstruction: a prospective, randomized clinical study. *Knee Surg Sports Traumatol Arthrosc.* 2007 May;15(5):500-7. Epub 2007 Jan 10.
172. Järvelä T, Moisala AS, Paakkala T, Paakkala A. Tunnel enlargement after double-bundle anterior cruciate ligament reconstruction: a prospective, randomized study. *Arthroscopy.* 2008 Dec;24(12):1349-57. Epub 2008 Oct 1.
173. Järvelä T, Moisala AS, Sihvonen R, Järvelä S, Kannus P, Järvinen M. Double-bundle anterior cruciate ligament reconstruction using hamstring autografts and bioabsorbable interference screw fixation: prospective, randomized, clinical study with 2-year results. *Am J Sports Med.* 2008 Feb;36(2):290-7. Epub 2007 Oct 16.
174. Jepsen CF, Lundberg-Jensen AK, Faunoe P. Does the position of the femoral tunnel affect the laxity or clinical outcome of the anterior cruciate ligament-reconstructed knee? A clinical, prospective, randomized, double-blind study. *Arthroscopy.* 2007 Dec;23(12):1326-33.
175. Jonsson H, Elmqvist LG, Kärrholm J, Tegner Y. Over-the-top or tunnel reconstruction of the anterior cruciate ligament? A prospective randomised study of 54 patients. *J Bone Joint Surg Br.* 1994 Jan;76(1):82-7.
176. Joshi GP, McCarroll SM, Brady OH, Hurson BJ, Walsh G. Intra-articular morphine for pain relief after anterior cruciate ligament repair. *Br J Anaesth.* 1993 Jan;70(1):87-8.
177. Kaeding C, Farr J, Kavanaugh T, Pedroza A. A prospective randomized comparison of bioabsorbable and titanium anterior cruciate ligament interference screws. *Arthroscopy.* 2005 Feb;21(2):147-51.
178. Kanaya A, Ochi M, Deie M, Adachi N, Nishimori M, Nakamae A. Intraoperative evaluation of anteroposterior and rotational stabilities in anterior cruciate ligament reconstruction: lower femoral tunnel placed single-bundle versus double-bundle reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2009 Aug;17(8):907-13. Epub 2009 Mar 5.
179. Kang HJ, Wang XJ, Wu CJ, Cao JH, Yu DH, Zheng ZM. Single-bundle modified patellar tendon versus double-bundle tibialis anterior allograft ACL reconstruction: a prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* 2015 Aug;23(8):2244-9. Epub 2014 Apr 27.

180. Karaaslan F, Karaoğlu S, Yurdakul E. Reducing intra-articular hemarthrosis after arthroscopic anterior cruciate ligament reconstruction by the administration of intravenous tranexamic acid: a prospective, randomized controlled trial. *Am J Sports Med.* 2015 Nov;43(11):2720-6. Epub 2015 Sep 2.
181. Karahan M, Erol B, Bekiroğlu N, Uyan D. Effect of drain placed in the donor site in the early postoperative period after arthroscopically assisted anterior cruciate ligament reconstruction with quadrupled hamstring tendons. *Am J Sports Med.* 2005 Jun;33(6):900-6. Epub 2005 Apr 12.
182. Karimi-Mobarakeh M, Mardani-Kivi M, Mortazavi A, Saheb-Ekhtiari K, Hashemi-Motlagh K. Role of gracilis harvesting in four-strand hamstring tendon anterior cruciate ligament reconstruction: a double-blinded prospective randomized clinical trial. *Knee Surg Sports Traumatol Arthrosc.* 2015 Apr;23(4):1086-91. Epub 2014 Feb 15.
183. Karlsson J, Rydgren B, Eriksson B, Järholm U, Lundin O, Swärd L, Hedner T. Postoperative analgesic effects of intra-articular bupivacaine and morphine after arthroscopic cruciate ligament surgery. *Knee Surg Sports Traumatol Arthrosc.* 1995;3(1):55-9.
184. Kautzner J, Kos P, Hanus M, Trc T, Havlas V. A comparison of ACL reconstruction using patellar tendon versus hamstring autograft in female patients: a prospective randomised study. *Int Orthop.* 2015 Jan;39(1):125-30. Epub 2014 Aug 17.
185. Kim JG, Chang MH, Lim HC, Bae JH, Ahn JH, Wang JH. Computed tomography analysis of the femoral tunnel position and aperture shape of transportal and outside-in ACL reconstruction: do different anatomic reconstruction techniques create similar femoral tunnels? *Am J Sports Med.* 2013 Nov;41(11):2512-20. Epub 2013 Aug 27.
186. Kim SG, Kurosawa H, Sakuraba K, Ikeda H, Takazawa S. The effect of initial graft tension on postoperative clinical outcome in anterior cruciate ligament reconstruction with semitendinosus tendon. *Arch Orthop Trauma Surg.* 2006 May;126(4):260-4. Epub 2005 Sep 28.
187. Kim SJ, Bae JH, Song SH, Lim HC. Bone tunnel widening with autogenous bone plugs versus bioabsorbable interference screws for secondary fixation in ACL reconstruction. *J Bone Joint Surg Am.* 2013 Jan 16;95(2):103-8.
188. Koga H, Muneta T, Yagishita K, Watanabe T, Mochizuki T, Horie M, Nakamura T, Otabe K, Sekiya I. Effect of posterolateral bundle graft fixation angles on clinical outcomes in double-bundle anterior cruciate ligament reconstruction: a randomized controlled trial. *Am J Sports Med.* 2015 May;43(5):1157-64. Epub 2015 Feb 2.
189. Koh IJ, Chang CB, Seo ES, Kim SJ, Seong SC, Kim TK. Pain management by periarticular multimodal drug injection after anterior cruciate ligament reconstruction: a randomized, controlled study. *Arthroscopy.* 2012 May;28(5):649-57. Epub 2012 Jan 26.
190. Koken M, Akan B, Kaya A, Armangil M. Comparing the anatomic single-bundle versus the anatomic double-bundle for anterior cruciate ligament reconstruction: a prospective, randomized, single blind, clinical study. *Eur Orthop Traumatol.* 2014;5(3):247-52.
191. Konrads C, Reppenhagen S, Plumhoff P, Hoberg M, Rudert M, Barthel T. No significant difference in clinical outcome and

- knee stability between patellar tendon and semitendinosus tendon in anterior cruciate ligament reconstruction. *Arch Orthop Trauma Surg.* 2016 Apr;136(4):521-5. Epub 2016 Jan 2.
192. Konrath GA, Lock T, Goitz HT, Scheidler J. The use of cold therapy after anterior cruciate ligament reconstruction. A prospective, randomized study and literature review. *Am J Sports Med.* 1996 Sep-Oct;24(5):629-33.
193. Koyonos L, Owsley K, Vollmer E, Limpisvasti O, Gambardella R. Preoperative cryotherapy use in anterior cruciate ligament reconstruction. *J Knee Surg.* 2014 Dec;27(6):479-84. Epub 2014 Jan 31.
194. Kristensen PK, Pfeiffer-Jensen M, Storm JO, Thillemann TM. Local infiltration analgesia is comparable to femoral nerve block after anterior cruciate ligament reconstruction with hamstring tendon graft: a randomised controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2014 Feb;22(2):317-23. Epub 2013 Jan 23.
195. Krywulak SA, Mohtadi NG, Russell ML, Sasyniuk TM. Patient satisfaction with inpatient versus outpatient reconstruction of the anterior cruciate ligament: a randomized clinical trial. *Can J Surg.* 2005 Jun;48(3):201-6.
196. Laboute E, France J, Trouve P, Puig PL, Boireau M, Blanchard A. Rehabilitation and leucine supplementation as possible contributors to an athlete's muscle strength in the reathletization phase following anterior cruciate ligament surgery. *Ann Phys Rehabil Med.* 2013 Mar;56(2):102-12. Epub 2012 Dec 6.
197. Laorueangthana A, Pattayakorn S, Chotanaputhi T, Kosiyatrakul A. Clinical comparison between six-strand hamstring tendon and patellar tendon autograft in arthroscopic anterior cruciate ligament reconstruction: a prospective, randomized clinical trial. *J Med Assoc Thai.* 2009 Apr;92(4):491-7.
198. Lawhorn KW, Howell SM, Traina SM, Gottlieb JE, Meade TD, Freedberg HI. The effect of graft tissue on anterior cruciate ligament outcomes: a multicenter, prospective, randomized controlled trial comparing autograft hamstrings with fresh-frozen anterior tibialis allograft. *Arthroscopy.* 2012 Aug;28(8):1079-86.
199. Laxdal G, Kartus J, Eriksson BI, Faxén E, Sernert N, Karlsson J. Biodegradable and metallic interference screws in anterior cruciate ligament reconstruction surgery using hamstring tendon grafts: prospective randomized study of radiographic results and clinical outcome. *Am J Sports Med.* 2006 Oct;34(10):1574-80. Epub 2006 May 9.
200. Laxdal G, Kartus J, Hansson L, Heidvall M, Ejerhed L, Karlsson J. A prospective randomized comparison of bone-patellar tendon-bone and hamstring grafts for anterior cruciate ligament reconstruction. *Arthroscopy.* 2005 Jan;21(1):34-42.
201. Lebon F, Guillot A, Collet C. Increased muscle activation following motor imagery during the rehabilitation of the anterior cruciate ligament. *Appl Psychophysiol Biofeedback.* 2012 Mar;37(1):45-51.
202. Lee BH, Bansal S, Park SH, Wang JH. Eccentric graft positioning within the femoral tunnel aperture in anatomic double-bundle anterior cruciate ligament reconstruction using the transportal and outside-in techniques. *Am J Sports Med.* 2015 May;43(5):1180-8. Epub 2015 Feb 10.

203. Lee S, Kim H, Jang J, Seong SC, Lee MC. Comparison of anterior and rotatory laxity using navigation between single- and double-bundle ACL reconstruction: prospective randomized trial. *Knee Surg Sports Traumatol Arthrosc.* 2012 Apr;20(4):752-61. Epub 2012 Jan 25.
204. Li J, Wang J, Li Y, Shao D, You X, Shen Y. A prospective randomized study of anterior cruciate ligament reconstruction with autograft, γ -irradiated allograft, and hybrid graft. *Arthroscopy.* 2015 Jul;31(7):1296-302. Epub 2015 Apr 17.
205. Lidén M, Ejerhed L, Sernert N, Laxdal G, Kartus J. Patellar tendon or semitendinosus tendon autografts for anterior cruciate ligament reconstruction: a prospective, randomized study with a 7-year follow-up. *Am J Sports Med.* 2007 May;35(5):740-8. Epub 2007 Feb 9.
206. Lieber RL, Silva PD, Daniel DM. Equal effectiveness of electrical and volitional strength training for quadriceps femoris muscles after anterior cruciate ligament surgery. *J Orthop Res.* 1996 Jan;14(1):131-8.
207. Lindström M, Wredmark T, Wretling ML, Henriksson M, Felländer-Tsai L. Post-operative bracing after ACL reconstruction has no effect on knee joint effusion. A prospective, randomized study. *Knee.* 2015 Dec;22(6):559-64. Epub 2015 Jun 6.
208. Liu-Ambrose T, Taunton JE, MacIntyre D, McConkey P, Khan KM. The effects of proprioceptive or strength training on the neuromuscular function of the ACL reconstructed knee: a randomized clinical trial. *Scand J Med Sci Sports.* 2003 Apr;13(2):115-23.
209. Loper KA, Ready LB, Downey M, Sandler AN, Nessly M, Rapp S, Badner N. Epidural and intravenous fentanyl infusions are clinically equivalent after knee surgery. *Anesth Analg.* 1990 Jan;70(1):72-5.
210. Lu W, Wang D, Zhu W, Li D, Ouyang K, Peng L, Feng W, Li H. Placement of double tunnels in ACL reconstruction using bony landmarks versus existing footprint remnant: a prospective clinical study with 2-year follow-up. *Am J Sports Med.* 2015 May;43(5):1206-14. Epub 2015 Mar 6.
211. Lubowitz JH, Schwartzberg R, Smith P. Randomized controlled trial comparing all-inside anterior cruciate ligament reconstruction technique with anterior cruciate ligament reconstruction with a full tibial tunnel. *Arthroscopy.* 2013 Jul;29(7):1195-200.
212. Lubowitz JH, Schwartzberg R, Smith P. Cortical suspensory button versus aperture interference screw fixation for knee anterior cruciate ligament soft-tissue allograft: a prospective, randomized controlled trial. *Arthroscopy.* 2015 Sep;31(9):1733-9. Epub 2015 Apr 22.
213. Lui PP, Cheng YY, Yung SH, Hung ASL, Chan KM. A randomized controlled trial comparing bone mineral density changes of three different ACL reconstruction techniques. *Knee.* 2012 Dec;19(6):779-85. Epub 2012 Mar 16.
214. Lund B, Nielsen T, Faunø P, Christiansen SE, Lind M. Is quadriceps tendon a better graft choice than patellar tendon? a prospective randomized study. *Arthroscopy.* 2014 May;30(5):593-8. Epub 2014 Mar 14.
215. Lundblad M, Forssblad M, Eksborg S, Lönnqvist PA. Ultrasound-guided infrapatellar nerve block for anterior cruciate ligament repair: a prospective, randomised,

- double-blind, placebo-controlled clinical trial. *Eur J Anaesthesiol*. 2011 Jul;28(7):511-8.
216. Maddison R, Prapavessis H, Clatworthy M. Modeling and rehabilitation following anterior cruciate ligament reconstruction. *Ann Behav Med*. 2006 Feb;31(1):89-98.
217. Maddison R, Prapavessis H, Clatworthy M, Hall C, Foley L, Harper T, Cupal D, Brewer B. Guided imagery to improve functional outcomes post-anterior cruciate ligament repair: randomized-controlled pilot trial. *Scand J Med Sci Sports*. 2012 Dec;22(6):816-21. Epub 2011 May 12.
218. Maletis GB, Cameron SL, Tengan JJ, Burchette RJ. A prospective randomized study of anterior cruciate ligament reconstruction: a comparison of patellar tendon and quadruple-strand semitendinosus/gracilis tendons fixed with bioabsorbable interference screws. *Am J Sports Med*. 2007 Mar;35(3):384-94. Epub 2007 Jan 11.
219. Mardani-Kivi M, Mobarakeh MK, Keyhani S, Motlagh KH, Ekhtiari KS. Is gabapentin effective on pain management after arthroscopic anterior cruciate ligament reconstruction? A triple blinded randomized controlled trial. *Arch Bone Jt Surg*. 2013 Sep;1(1):18-22. Epub 2013 Sep 15.
220. Marks P, O'Donnell S, Yee G. A pilot clinical evaluation comparing the Mitek bone-tendon-bone cross pin and bioabsorbable screw in anterior cruciate ligament reconstruction fixation, a randomized double blind controlled trial. *Knee*. 2008 Jun;15(3):168-73. Epub 2008 Mar 4.
221. Marlovits S, Striessnig G, Schuster R, Stocker R, Luxl M, Trattnig S, Vécsei V. Extended-duration thromboprophylaxis with enoxaparin after arthroscopic surgery of the anterior cruciate ligament: a prospective, randomized, placebo-controlled study. *Arthroscopy*. 2007 Jul;23(7):696-702.
222. Matava MJ, Prickett WD, Khodamoradi S, Abe S, Garbutt J. Femoral nerve blockade as a preemptive anesthetic in patients undergoing anterior cruciate ligament reconstruction: a prospective, randomized, double-blinded, placebo-controlled study. *Am J Sports Med*. 2009 Jan;37(1):78-86. Epub 2008 Oct 20.
223. Mauch F, Apic G, Becker U, Bauer G. Differences in the placement of the tibial tunnel during reconstruction of the anterior cruciate ligament with and without computer-assisted navigation. *Am J Sports Med*. 2007 Nov;35(11):1824-32. Epub 2007 Sep 18.
224. Mayr HO, Entholzner E, Hube R, Hein W, Weig TG. Pre-versus postoperative intraarticular application of local anesthetics and opioids versus femoral nerve block in anterior cruciate ligament repair. *Arch Orthop Trauma Surg*. 2007 May;127(4):241-4. Epub 2006 May 23.
225. Mayr HO, Hochrein A, Hein W, Hube R, Bernstein A. Rehabilitation results following anterior cruciate ligament reconstruction using a hard brace compared to a fluid-filled soft brace. *Knee*. 2010 Mar;17(2):119-26. Epub 2009 Aug 13.
226. McCarthy MR, Yates CK, Anderson MA, Yates-McCarthy JL. The effects of immediate continuous passive motion on pain during the inflammatory phase of soft tissue healing following anterior cruciate ligament reconstruction. *J Orthop Sports Phys Ther*. 1993 Feb;17(2):96-101.

227. McCarty EC, Spindler KP, Tingstad E, Shyr Y, Higgins M. Does intraarticular morphine improve pain control with femoral nerve block after anterior cruciate ligament reconstruction? *Am J Sports Med.* 2001 May-Jun;29(3):327-32.
228. McCormack RG, Greenhow RJ, Fogagnolo F, Shrier I. Intra-articular drain versus no drain after arthroscopic anterior cruciate ligament reconstruction: a randomized, prospective clinical trial. *Arthroscopy.* 2006 Aug;22(8):889-93.
229. McDevitt ER, Taylor DC, Miller MD, Gerber JP, Ziemke G, Hinkin D, Uhorchak JM, Arciero RA, Pierre PS. Functional bracing after anterior cruciate ligament reconstruction: a prospective, randomized, multicenter study. *Am J Sports Med.* 2004 Dec;32(8):1887-92.
230. McGuire DA, Barber FA, Elrod BF, Paulos LE. Bioabsorbable interference screws for graft fixation in anterior cruciate ligament reconstruction. *Arthroscopy.* 1999 Jul-Aug;15(5):463-73.
231. McRae S, Leiter J, McCormack R, Old J, MacDonald P. Ipsilateral versus contralateral hamstring grafts in anterior cruciate ligament reconstruction: a prospective randomized trial. *Am J Sports Med.* 2013 Nov;41(11):2492-9. Epub 2013 Sep 3.
232. Mehdi SA, Dalton DJ, Sivarajan V, Leach WJ. BTB ACL reconstruction: femoral nerve block has no advantage over intraarticular local anaesthetic infiltration. *Knee Surg Sports Traumatol Arthrosc.* 2004 May;12(3):180-3. Epub 2004 Jan 23.
233. Meighan AA, Keating JF, Will E. Outcome after reconstruction of the anterior cruciate ligament in athletic patients. A comparison of early versus delayed surgery. *J Bone Joint Surg Br.* 2003 May;85(4):521-4.
234. Ménigaux C, Adam F, Guignard B, Sessler DI, Chauvin M. Preoperative gabapentin decreases anxiety and improves early functional recovery from knee surgery. *Anesth Analg.* 2005 May;100(5):1394-9.
235. Menigaux C, Fletcher D, Dupont X, Guignard B, Guirimand F, Chauvin M. The benefits of intraoperative small-dose ketamine on postoperative pain after anterior cruciate ligament repair. *Anesth Analg.* 2000 Jan;90(1):129-35.
236. Meuffels DE, Reijman M, Verhaar JA. Computer-assisted surgery is not more accurate or precise than conventional arthroscopic ACL reconstruction: a prospective randomized clinical trial. *J Bone Joint Surg Am.* 2012 Sep 5;94(17):1538-45.
237. Meunier A, Odensten M, Good L. Long-term results after primary repair or non-surgical treatment of anterior cruciate ligament rupture: a randomized study with a 15-year follow-up. *Scand J Med Sci Sports.* 2007 Jun;17(3):230-7.
238. Meyers MC, Sterling JC, Marley RR. Efficacy of stairclimber versus cycle ergometry in postoperative anterior cruciate ligament rehabilitation. *Clin J Sport Med.* 2002 Mar;12(2):85-94.
239. Mikkelsen C, Cerulli G, Lorenzini M, Bergstrand G, Werner S. Can a post-operative brace in slight hyperextension prevent extension deficit after anterior cruciate ligament reconstruction? A prospective randomised study. *Knee Surg Sports Traumatol Arthrosc.* 2003 Sep;11(5):318-21. Epub 2003 Jul 26.

240. Mirzatooei F. Comparison of short term clinical outcomes between transtibial and transportal TransFix® femoral fixation in hamstring ACL reconstruction. *Acta Orthop Traumatol Turc.* 2012;46(5):361-6.
241. Mirzatooei F, Alamdari MT, Khalkhali HR. The impact of platelet-rich plasma on the prevention of tunnel widening in anterior cruciate ligament reconstruction using quadrupled autologous hamstring tendon: a randomised clinical trial. *Bone Joint J.* 2013 Jan;95(1):65-9.
242. Misonoo G, Kanamori A, Ida H, Miyakawa S, Ochiai N. Evaluation of tibial rotational stability of single-bundle vs. anatomical double-bundle anterior cruciate ligament reconstruction during a high-demand activity - a quasi-randomized trial. *Knee.* 2012 Mar;19(2):87-93. Epub 2011 Feb 12.
243. Moezy A, Olyaei G, Hadian M, Razi M, Faghihzadeh S. A comparative study of whole body vibration training and conventional training on knee proprioception and postural stability after anterior cruciate ligament reconstruction. *Br J Sports Med.* 2008 May;42(5):373-8. Epub 2008 Jan 8.
244. Mohammadi F, Salavati M, Akhbari B, Mazaheri M, Mohsen Mir S, Etemadi Y. Comparison of functional outcome measures after ACL reconstruction in competitive soccer players: a randomized trial. *J Bone Joint Surg Am.* 2013 Jul 17;95(14):1271-7.
245. Mohtadi N, Barber R, Chan D, Paolucci EO. Complications and adverse events of a randomized clinical trial comparing 3 graft types for ACL reconstruction. *Clin J Sport Med.* 2016 May;26(3):182-9.
246. Mohtadi N, Chan D, Barber R, Oddone Paolucci E. A randomized clinical trial comparing patellar tendon, hamstring tendon, and double-bundle ACL reconstructions: patient-reported and clinical outcomes at a minimal 2-year follow-up. *Clin J Sport Med.* 2015 Jul;25(4):321-31.
247. Mohtadi N, Chan D, Barber R, Paolucci EO. Reruptures, reinjuries, and revisions at a minimum 2-year follow-up: a randomized clinical trial comparing 3 graft types for ACL reconstruction. *Clin J Sport Med.* 2016 Mar;26(2):96-107.
248. Moisala AS, Järvelä T, Paakkala A, Paakkala T, Kannus P, Järvinen M. Comparison of the bioabsorbable and metal screw fixation after ACL reconstruction with a hamstring autograft in MRI and clinical outcome: a prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* 2008 Dec;16(12):1080-6. Epub 2008 Sep 2.
249. Möller E, Forssblad M, Hansson L, Wange P, Weidenhielm L. Bracing versus nonbracing in rehabilitation after anterior cruciate ligament reconstruction: a randomized prospective study with 2-year follow-up. *Knee Surg Sports Traumatol Arthrosc.* 2001;9(2):102-8.
250. Morrissey MC, Drechsler WI, Morrissey D, Knight PR, Armstrong PW, McAuliffe TB. Effects of distally fixated versus nondistally fixated leg extensor resistance training on knee pain in the early period after anterior cruciate ligament reconstruction. *Phys Ther.* 2002 Jan;82(1):35-43.
251. Morrissey MC, Hudson ZL, Drechsler WI, Coutts FJ, Knight PR, King JB. Effects of open versus closed kinetic chain training on knee laxity in the early period after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2000;8(6):343-8.

252. Mouzopoulos G, Siebold R, Tzurbakis M. Hip flexion strength remains decreased in anterior cruciate ligament reconstructed patients at one-year follow up compared to healthy controls. *Int Orthop*. 2015 Jul;39(7):1427-32. Epub 2015 Feb 3.
253. Moyen BJ, Jenny JY, Mandrino AH, Lerat JL. Comparison of reconstruction of the anterior cruciate ligament with and without a Kennedy ligament-augmentation device. A randomized, prospective study. *J Bone Joint Surg Am*. 1992 Oct;74(9):1313-9.
254. Mulroy MF, Larkin KL, Batra MS, Hodgson PS, Owens BD. Femoral nerve block with 0.25% or 0.5% bupivacaine improves postoperative analgesia following outpatient arthroscopic anterior cruciate ligament repair. *Reg Anesth Pain Med*. 2001 Jan-Feb;26(1):24-9.
255. Muneta T, Koga H, Mochizuki T, Ju YJ, Hara K, Nimura A, Yagishita K, Sekiya I. A prospective randomized study of 4-strand semitendinosus tendon anterior cruciate ligament reconstruction comparing single-bundle and double-bundle techniques. *Arthroscopy*. 2007 Jun;23(6):618-28.
256. Muren O, Dahlstedt L, Dalén N. Reconstruction of old anterior cruciate ligament injuries. No difference between the Kennedy LAD-method and traditional patellar tendon graft in a prospective randomized study of 40 patients with 4-year follow-up. *Acta Orthop Scand*. 1995 Apr;66(2):118-22.
257. Muren O, Dahlstedt L, Dalén N. Reconstruction of acute anterior cruciate ligament injuries: a prospective, randomised study of 40 patients with 7-year follow-up. No advantage of synthetic augmentation compared to a traditional patellar tendon graft. *Arch Orthop Trauma Surg*. 2003 May;123(4):144-7. Epub 2003 Jan 11.
258. Mutsuzaki H, Kanamori A, Ikeda K, Hioki S, Kinugasa T, Sakane M. Effect of calcium phosphate-hybridized tendon graft in anterior cruciate ligament reconstruction: a randomized controlled trial. *Am J Sports Med*. 2012 Aug;40(8):1772-80. Epub 2012 Jun 19.
259. Myers P, Logan M, Stokes A, Boyd K, Watts M. Bioabsorbable versus titanium interference screws with hamstring autograft in anterior cruciate ligament reconstruction: a prospective randomized trial with 2-year follow-up. *Arthroscopy*. 2008 Jul;24(7):817-23. Epub 2008 Apr 14.
260. Nakayama H, Yoshiya S. The effect of tourniquet use on operative performance and early postoperative results of anatomic double-bundle anterior cruciate ligament reconstruction. *J Orthop Sci*. 2013 Jul;18(4):586-91. Epub 2013 May 18.
261. Nam D, Cody EA, Nguyen JT, Figgie MP, Mayman DJ. Extramedullary guides versus portable, accelerometer-based navigation for tibial alignment in total knee arthroplasty: a randomized, controlled trial: winner of the 2013 HAP PAUL award. *J Arthroplasty*. 2014 Feb;29(2):288-94. Epub 2013 Jul 19.
262. Nau T, Lavoie P, Duval N. A new generation of artificial ligaments in reconstruction of the anterior cruciate ligament. Two-year follow-up of a randomised trial. *J Bone Joint Surg Br*. 2002 Apr;84(3):356-60.
263. Nazem K, Mehrbod M, Borjian A, Sadeghian H. Anterior cruciate ligament reconstruction with or without bracing. *Iran J Med Sci*. 2006;31(3):151-5.

264. Nicholas SJ, D'Amato MJ, Mullaney MJ, Tyler TF, Kolstad K, McHugh MP. A prospectively randomized double-blind study on the effect of initial graft tension on knee stability after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2004 Dec;32(8):1881-6.
265. Nicholas SJ, Tyler TF, McHugh MP, Gleim GW. The effect on leg strength of tourniquet use during anterior cruciate ligament reconstruction: a prospective randomized study. *Arthroscopy.* 2001 Jul;17(6):603-7.
266. Nin JR, Gasque GM, Azcárate AV, Beola JD, Gonzalez MH. Has platelet-rich plasma any role in anterior cruciate ligament allograft healing? *Arthroscopy.* 2009 Nov;25(11):1206-13.
267. Noh JH, Roh YH, Yang BG, Yi SR, Lee SY. Femoral tunnel position on conventional magnetic resonance imaging after anterior cruciate ligament reconstruction in young men: trans tibial technique versus anteromedial portal technique. *Arthroscopy.* 2013 May;29(5):882-90. Epub 2013 Mar 26.
268. Noh JH, Yang BG, Yi SR, Roh YH, Lee JS. Hybrid tibial fixation for anterior cruciate ligament reconstruction with Achilles tendon allograft. *Arthroscopy.* 2012 Oct;28(10):1540-6. Epub 2012 Jun 23.
269. Noh JH, Yang BG, Yi SR, Roh YH, Lee JS. Single-bundle anterior cruciate ligament reconstruction in active young men using bone-tendon Achilles allograft versus free tendon Achilles allograft. *Arthroscopy.* 2013 Mar;29(3):507-13. Epub 2013 Jan 28.
270. Noh JH, Yi SR, Song SJ, Kim SW, Kim W. Comparison between hamstring autograft and free tendon Achilles allograft: minimum 2-year follow-up after anterior cruciate ligament reconstruction using EndoButton and Intrafix. *Knee Surg Sports Traumatol Arthrosc.* 2011 May;19(5):816-22. Epub 2011 Feb 3.
271. Noyes FR, Mangine RE, Barber S. Early knee motion after open and arthroscopic anterior cruciate ligament reconstruction. *Am J Sports Med.* 1987 Mar-Apr;15(2):149-60.
272. Núñez M, Sastre S, Núñez E, Lozano L, Nicodemo C, Segur JM. Health-related quality of life and direct costs in patients with anterior cruciate ligament injury: single-bundle versus double-bundle reconstruction in a low-demand cohort—a randomized trial with 2 years of follow-up. *Arthroscopy.* 2012 Jul;28(7):929-35. Epub 2012 Feb 18.
273. O'Neill DB. Arthroscopically assisted reconstruction of the anterior cruciate ligament. A prospective randomized analysis of three techniques. *J Bone Joint Surg Am.* 1996 Jun;78(6):803-13.
274. Odensten M, Hamberg P, Nordin M, Lysholm J, Gillquist J. Surgical or conservative treatment of the acutely torn anterior cruciate ligament. A randomized study with short-term follow-up observations. *Clin Orthop Relat Res.* 1985 Sep;198:87-93.
275. Ofner M, Kastner A, Wallenboeck E, Pehn R, Schneider F, Groell R, Szolar D, Walach H, Litscher G, Sandner-Kiesling A. Manual khalifa therapy improves functional and morphological outcome of patients with anterior cruciate ligament rupture in the knee: a randomized controlled trial. *Evid Based Complement Alternat Med.* 2014;2014:462840. Epub 2014 Jan 30.

276. Ohkoshi Y, Ohkoshi M, Nagasaki S, Ono A, Hashimoto T, Yamane S. The effect of cryotherapy on intraarticular temperature and postoperative care after anterior cruciate ligament reconstruction. *Am J Sports Med.* 1999 May-Jun;27(3):357-62.
277. Ohta H, Kurosawa H, Ikeda H, Iwase Y, Satou N, Nakamura S. Low-load resistance muscular training with moderate restriction of blood flow after anterior cruciate ligament reconstruction. *Acta Orthop Scand.* 2003 Feb;74(1):62-8.
278. Oliveira AK, Borges DT, Lins CA, Cavalcanti RL, Macedo LB, Brasileiro JS. Immediate effects of Kinesio Taping® on neuromuscular performance of quadriceps and balance in individuals submitted to anterior cruciate ligament reconstruction: a randomized clinical trial. *J Sci Med Sport.* 2016 Jan;19(1):2-6. Epub 2014 Dec 9.
279. Olivier N, Weissland T, Berthoin S, Legrand R, Rogez J, Thevenon A, Prieur F. Effect of one-leg cycling aerobic training in amateur soccer players after anterior cruciate ligament reconstruction. *Am J Phys Med Rehabil.* 2009 May;88(5):362-8.
280. Olivier N, Weissland T, Legrand R, Berthoin S, Rogez J, Thevenon A, Prieur F. The effect of a one-leg cycling aerobic training program during the rehabilitation period in soccer players with anterior cruciate ligament reconstruction. *Clin J Sport Med.* 2010 Jan;20(1):28-33.
281. Oni OO, Crowder E. A comparison of isokinetics and muscle strength ratios following intra-articular and extra-articular reconstructions of the anterior cruciate ligament. *Injury.* 1996 Apr;27(3):195-7.
282. Orrego M, Larrain C, Rosales J, Valenzuela L, Matas J, Durruty J, Sudy H, Mardones R. Effects of platelet concentrate and a bone plug on the healing of hamstring tendons in a bone tunnel. *Arthroscopy.* 2008 Dec;24(12):1373-80. Epub 2008 Sep 30.
283. Otsuka H, Ishibashi Y, Tsuda E, Sasaki K, Toh S. Comparison of three techniques of anterior cruciate ligament reconstruction with bone-patellar tendon-bone graft. Differences in anterior tibial translation and tunnel enlargement with each technique. *Am J Sports Med.* 2003 Mar-Apr;31(2):282-8.
284. Palm HG, Brattinger F, Stegmüller B, Achatz G, Riesner HJ, Friemert B. Effects of knee bracing on postural control after anterior cruciate ligament rupture. *Knee.* 2012 Oct;19(5):664-71. Epub 2011 Aug 25.
285. Pandey V, Acharya K, Rao S, Rao S. Femoral tunnel-interference screw divergence in anterior cruciate ligament reconstruction using bone-patellar tendon-bone graft: a comparison of two techniques. *Indian J Orthop.* 2011 May;45(3):255-60.
286. Papalia R, Franceschi F, Tecame A, D'Adamio S, Maffulli N, Denaro V. Anterior cruciate ligament reconstruction and return to sport activity: postural control as the key to success. *Int Orthop.* 2015 Mar;39(3):527-34. Epub 2014 Sep 6.
287. Paris A, Gonnet N, Chaussard C, Belon P, Rocourt F, Saragaglia D, Cracowski JL. Effect of homeopathy on analgesic intake following knee ligament reconstruction: a phase III monocentre randomized placebo controlled study. *Br J Clin Pharmacol.* 2008 Feb;65(2):180-7.

288. Parker RD, Strem K, Schmitz L, Martineau PA; Marguerite Group. Efficacy of continuous intra-articular bupivacaine infusion for postoperative analgesia after anterior cruciate ligament reconstruction: a double-blinded, placebo-controlled, prospective, and randomized study. *Am J Sports Med.* 2007 Apr;35(4):531-6. Epub 2007 Jan 23.
289. Paternostro-Sluga T, Fialka C, Alacamlıoglu Y, Saradeth T, Fialka-Moser V. Neuromuscular electrical stimulation after anterior cruciate ligament surgery. *Clin Orthop Relat Res.* 1999 Nov;368:166-75.
290. Pawlowski J, Sukhani R, Pappas AL, Kim KM, Lurie J, Gunnerson H, Corsino A, Frey K, Tonino P. The anesthetic and recovery profile of two doses (60 and 80 mg) of plain mepivacaine for ambulatory spinal anesthesia. *Anesth Analg.* 2000 Sep;91(3):580-4.
291. Peng P, Claxton A, Chung F, Chan V, Miniaci A, Krishnathas A. Femoral nerve block and ketorolac in patients undergoing anterior cruciate ligament reconstruction. *Can J Anaesth.* 1999 Oct;46(10):919-24.
292. Perry MC, Morrissey MC, King JB, Morrissey D, Earnshaw P. Effects of closed versus open kinetic chain knee extensor resistance training on knee laxity and leg function in patients during the 8- to 14-week post-operative period after anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2005 Jul;13(5):357-69. Epub 2005 Jan 28.
293. Perry MC, Morrissey MC, Morrissey D, Knight PR, McAuliffe TB, King JB. Knee extensors kinetic chain training in anterior cruciate ligament deficiency. *Knee Surg Sports Traumatol Arthrosc.* 2005 Nov;13(8):638-48. Epub 2005 May 5.
294. Peterson L, Eklund U, Engström B, Forsblad M, Saartok T, Valentin A. Long-term results of a randomized study on anterior cruciate ligament reconstruction with or without a synthetic degradable augmentation device to support the autograft. *Knee Surg Sports Traumatol Arthrosc.* 2014 Sep;22(9):2109-20. Epub 2013 Aug 31.
295. Petruskevicius J, Nielsen S, Kaalund S, Knudsen PR, Overgaard S. No effect of Osteoset, a bone graft substitute, on bone healing in humans: a prospective randomized double-blind study. *Acta Orthop Scand.* 2002 Oct;73(5):575-8.
296. Pigozzi F, Di Salvo V, Parisi A, Giombini A, Fagnani F, Magini W, Franceschi F, Denaro E. Isokinetic evaluation of anterior cruciate ligament reconstruction: quadriceps tendon versus patellar tendon. *J Sports Med Phys Fitness.* 2004 Sep;44(3):288-93.
297. Plaweski S, Cazal J, Rosell P, Merloz P. Anterior cruciate ligament reconstruction using navigation: a comparative study on 60 patients. *Am J Sports Med.* 2006 Apr;34(4):542-52.
298. Popp JE, Sanko WA, Sinha AK, Kaeding CC. A comparison of ketorolac tromethamine/oxycodone versus patient-controlled analgesia with morphine in anterior cruciate ligament reconstruction patients. *Arthroscopy.* 1998 Nov-Dec;14(8):816-9.
299. Price R, Stoney J, Brown G. Prospective randomized comparison of EndoButton versus cross-pin femoral fixation in hamstring anterior cruciate ligament reconstruction with 2-year follow-up. *ANZ J Surg.* 2010 Mar;80(3):162-5.

300. Pujol N, Colombet P, Potel JF, Cucurulo T, Graveleau N, Hulet C, Panisset JC, Servien E, Sonnery-Cottet B, Trojani C, Djian P; French Arthroscopy Society (SFA). Anterior cruciate ligament reconstruction in partial tear: selective anteromedial bundle reconstruction conserving the posterolateral remnant versus single-bundle anatomic ACL reconstruction: preliminary 1-year results of a prospective randomized study. *Orthop Traumatol Surg Res.* 2012 Dec;98(8)(Suppl):S171-7. Epub 2012 Nov 8.
301. Rahimzadeh P, Faiz SH, Ziyaeifard M, Niknam K. Effectiveness of adding ketamine to ropivacaine infusion via femoral nerve catheter after knee anterior cruciate ligament repair. *J Res Med Sci.* 2013 Aug;18(8):632-6.
302. Raviraj A, Anand A, Kodikal G, Chandrashekar M, Pai S. A comparison of early and delayed arthroscopically-assisted reconstruction of the anterior cruciate ligament using hamstring autograft. *J Bone Joint Surg Br.* 2010 Apr;92(4):521-6.
303. Reda W, ElGuindy AM, Zahry G, Faggal MS, Karim MA. Anterior cruciate ligament reconstruction; is a tourniquet necessary? A randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2016 Sep;24(9):2948-52. Epub 2015 Mar 19.
304. Reilly CW, McEwen JA, Leveille L, Perdios A, Mulpuri K. Minimizing tourniquet pressure in pediatric anterior cruciate ligament reconstructive surgery: a blinded, prospective randomized controlled trial. *J Pediatr Orthop.* 2009 Apr-May;29(3):275-80.
305. Reuben SS, Ekman EF, Charron D. Evaluating the analgesic efficacy of administering celecoxib as a component of multimodal analgesia for outpatient anterior cruciate ligament reconstruction surgery [Retraction in: *Anesthesia and Analgesia* (2009)]. *Anesth Analg.* 2007 Jul;105(1):222-7.
306. Risberg MA, Holm I. The long-term effect of 2 postoperative rehabilitation programs after anterior cruciate ligament reconstruction: a randomized controlled clinical trial with 2 years of follow-up. *Am J Sports Med.* 2009 Oct;37(10):1958-66. Epub 2009 Jun 25.
307. Risberg MA, Holm I, Myklebust G, Engebretsen L. Neuromuscular training versus strength training during first 6 months after anterior cruciate ligament reconstruction: a randomized clinical trial. *Phys Ther.* 2007 Jun;87(6):737-50. Epub 2007 Apr 18.
308. Risberg MA, Holm I, Steen H, Eriksson J, Ekeland A. The effect of knee bracing after anterior cruciate ligament reconstruction. A prospective, randomized study with two years' follow-up. *Am J Sports Med.* 1999 Jan-Feb;27(1):76-83.
309. Robert H, Es-Sayeh J. The role of periosteal flap in the prevention of femoral widening in anterior cruciate ligament reconstruction using hamstring tendons. *Knee Surg Sports Traumatol Arthrosc.* 2004 Jan;12(1):30-5. Epub 2003 Sep 9.
310. Rosaeg OP, Krepski B, Cicutti N, Dennehy KC, Lui AC, Johnson DH. Effect of preemptive multimodal analgesia for arthroscopic knee ligament repair. *Reg Anesth Pain Med.* 2001 Mar-Apr;26(2):125-30.
311. Rosen MA, Jackson DW, Atwell EA. The efficacy of continuous passive motion in the rehabilitation of anterior cruciate

- ligament reconstructions. *Am J Sports Med.* 1992 Mar-Apr;20(2):122-7.
312. Ruffilli A, Buda R, Castagnini F, Di Nicolantonio D, Evangelisti G, Giannini S, Faldini C. Temperature-controlled continuous cold flow device versus traditional icing regimen following anterior cruciate ligament reconstruction: a prospective randomized comparative trial. *Arch Orthop Trauma Surg.* 2015 Oct;135(10):1405-10. Epub 2015 Jul 4.
313. Sabat D, Kumar V. Nerve injury during hamstring graft harvest: a prospective comparative study of three different incisions. *Knee Surg Sports Traumatol Arthrosc.* 2013 Sep;21(9):2089-95. Epub 2012 Oct 17.
314. Sabat D, Kundu K, Arora S, Kumar V. Tunnel widening after anterior cruciate ligament reconstruction: a prospective randomized computed tomography-based study comparing 2 different femoral fixation methods for hamstring graft. *Arthroscopy.* 2011 Jun;27(6):776-83.
315. Sahni N, Panda NB, Jain K, Batra YK, Dhillon MS, Jagannath P. Comparison of different routes of administration of clonidine for analgesia following anterior cruciate ligament repair. *J Anaesthesiol Clin Pharmacol.* 2015 Oct-Dec;31(4):491-5.
316. Sajovic M, Vengust V, Komadina R, Tavcar R, Skaza K. A prospective, randomized comparison of semitendinosus and gracilis tendon versus patellar tendon autografts for anterior cruciate ligament reconstruction: five-year follow-up. *Am J Sports Med.* 2006 Dec;34(12):1933-40. Epub 2006 Aug 21.
317. Salvarani A, Agosti M, Zanrè A, Ampollini A, Montagna L, Franceschini M. Mechanical vibration in the rehabilitation of patients with reconstructed anterior cruciate ligament. *Eur J Phys Rehab Med.* 2003;39(1):19-25.
318. Sarzaeem MM, Najafi F, Razi M, Najafi MA. ACL reconstruction using bone-patella tendon-bone autograft: press-fit technique vs. interference screw fixation. *Arch Orthop Trauma Surg.* 2014 Jul;134(7):955-62. Epub 2014 Apr 23.
319. Sasaki S, Tsuda E, Hiraga Y, Yamamoto Y, Maeda S, Sasaki E, Ishibashi Y. Prospective randomized study of objective and subjective clinical results between double-bundle and single-bundle anterior cruciate ligament reconstruction. *Am J Sports Med.* 2016 Apr;44(4):855-64. Epub 2016 Feb 2.
320. Sastre S, Popescu D, Núñez M, Pomes J, Tomas X, Peidro L. Double-bundle versus single-bundle ACL reconstruction using the horizontal femoral position: a prospective, randomized study. *Knee Surg Sports Traumatol Arthrosc.* 2010 Jan;18(1):32-6. Epub 2009 Jun 26.
321. Sato N, Higuchi H, Terauchi M, Kimura M, Takagishi K. Quantitative evaluation of anterior tibial translation during isokinetic motion in knees with anterior cruciate ligament reconstruction using either patellar or hamstring tendon grafts. *Int Orthop.* 2005 Dec;29(6):385-9. Epub 2005 Aug 2.
322. Schröder D, Pässler HH. Combination of cold and compression after knee surgery. A prospective randomized study. *Knee Surg Sports Traumatol Arthrosc.* 1994;2(3):158-65.
323. Schwarz SK, Franciosi LG, Ries CR, Regan WD, Davidson RG, Nevin K, Escobedo S, MacLeod BA. Addition of femoral 3-in-1 blockade to intra-articular ropivacaine 0.2% does not

- reduce analgesic requirements following arthroscopic knee surgery. *Can J Anaesth*. 1999 Aug;46(8):741-7.
324. Seijas R, Ares O, Catala J, Alvarez-Diaz P, Cusco X, Cugat R. Magnetic resonance imaging evaluation of patellar tendon graft remodelling after anterior cruciate ligament reconstruction with or without platelet-rich plasma. *J Orthop Surg (Hong Kong)*. 2013 Apr;21(1):10-4.
325. Seijas R, Rius M, Ares O, García-Ballebó M, Serra I, Cugat R. Healing of donor site in bone-tendon-bone ACL reconstruction accelerated with plasma rich in growth factors: a randomized clinical trial. *Knee Surg Sports Traumatol Arthrosc*. 2015 Apr;23(4):991-7. Epub 2013 Nov 27.
326. Sekir U, Gur H, Akova B. Early versus late start of isokinetic hamstring-strengthening exercise after anterior cruciate ligament reconstruction with patellar tendon graft. *Am J Sports Med*. 2010 Mar;38(3):492-500.
327. Senthilkumaran S, Tate R, Read JR, Sutherland AG. Intra-articular morphine and bupivacaine for post-operative analgesia in anterior cruciate ligament reconstruction: a prospective randomised controlled trial. *Knee Surg Sports Traumatol Arthrosc*. 2010 Jun;18(6):731-5. Epub 2009 Sep 19.
328. Shaarani SR, O'Hare C, Quinn A, Moyna N, Moran R, O'Byrne JM. Effect of prehabilitation on the outcome of anterior cruciate ligament reconstruction. *Am J Sports Med*. 2013 Sep;41(9):2117-27. Epub 2013 Jul 11.
329. Shaieb MD, Kan DM, Chang SK, Marumoto JM, Richardson AB. A prospective randomized comparison of patellar tendon versus semitendinosus and gracilis tendon autografts for anterior cruciate ligament reconstruction. *Am J Sports Med*. 2002 Mar-Apr;30(2):214-20.
330. Shaw T, Williams MT, Chipchase LS. Do early quadriceps exercises affect the outcome of ACL reconstruction? A randomised controlled trial. *Aust J Physiother*. 2005;51(1):9-17.
331. Siebold R, Dehler C, Ellert T. Prospective randomized comparison of double-bundle versus single-bundle anterior cruciate ligament reconstruction. *Arthroscopy*. 2008 Feb;24(2):137-45.
332. Silva A, Sampaio R, Fernandes R, Pinto E. Is there a role for adult non-cultivated bone marrow stem cells in ACL reconstruction? *Knee Surg Sports Traumatol Arthrosc*. 2014 Jan;22(1):66-71. Epub 2012 Nov 2.
333. Silvasti M, Pitkänen M. Continuous epidural analgesia with bupivacaine-fentanyl versus patient-controlled analgesia with I.V. morphine for postoperative pain relief after knee ligament surgery. *Acta Anaesthesiol Scand*. 2000 Jan;44(1):37-42.
334. Sisk TD, Stralka SW, Deering MB, Griffin JW. Effect of electrical stimulation on quadriceps strength after reconstructive surgery of the anterior cruciate ligament. *Am J Sports Med*. 1987 May-Jun;15(3):215-20.
335. Snyder-Mackler L, Delitto A, Bailey SL, Stralka SW. Strength of the quadriceps femoris muscle and functional recovery after reconstruction of the anterior cruciate ligament. A prospective, randomized clinical trial of electrical stimulation. *J Bone Joint Surg Am*. 1995 Aug;77(8):1166-73.

336. Snyder-Mackler L, Ladin Z, Schepesis AA, Young JC. Electrical stimulation of the thigh muscles after reconstruction of the anterior cruciate ligament. Effects of electrically elicited contraction of the quadriceps femoris and hamstring muscles on gait and on strength of the thigh muscles. *J Bone Joint Surg Am.* 1991 Aug;73(7):1025-36.
337. Song EK, Seon JK, Yim JH, Woo SH, Seo HY, Lee KB. Progression of osteoarthritis after double- and single-bundle anterior cruciate ligament reconstruction. *Am J Sports Med.* 2013 Oct;41(10):2340-6. Epub 2013 Aug 19.
338. Sørensen OG, Larsen K, Jakobsen BW, Kold S, Hansen TB, Taudal S, Lund B, Christiansen SE, Lind M, Søballe K. Serial dilation reduces graft slippage compared to extraction drilling in anterior cruciate ligament reconstruction: a randomized controlled trial using radiostereometric analysis. *Knee Surg Sports Traumatol Arthrosc.* 2011 Mar;19(3):347-54. Epub 2010 Aug 3.
339. Staunstrup H, Ovesen J, Larsen UT, Elbaek K, Larsen U, Krøner K. Efficacy and tolerability of lornoxicam versus tramadol in postoperative pain. *J Clin Pharmacol.* 1999 Aug;39(8):834-41.
340. Stener S, Ejerhed L, Sernert N, Laxdal G, Rostgård-Christensen L, Kartus J. A long-term, prospective, randomized study comparing biodegradable and metal interference screws in anterior cruciate ligament reconstruction surgery: radiographic results and clinical outcome. *Am J Sports Med.* 2010 Aug;38(8):1598-605. Epub 2010 Apr 14.
341. Stengel D, Casper D, Bauwens K, Ekkernkamp A, Wich M. Bioresorbable pins and interference screws for fixation of hamstring tendon grafts in anterior cruciate ligament reconstruction surgery: a randomized controlled trial. *Am J Sports Med.* 2009 Sep;37(9):1692-8.
342. Stensbirk F, Thorborg K, Konradsen L, Jørgensen U, Hölmich P. Iliotibial band autograft versus bone-patella-tendon-bone autograft, a possible alternative for ACL reconstruction: a 15-year prospective randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2014 Sep;22(9):2094-101. Epub 2013 Aug 24.
343. Stevanović V, Blagojević Z, Petković A, Glišić M, Sopta J, Nikolić V, Milisavljević M. Semitendinosus tendon regeneration after anterior cruciate ligament reconstruction: can we use it twice? *Int Orthop.* 2013 Dec;37(12):2475-81. Epub 2013 Aug 28.
344. Stewart DJ, Lambert EW, Stack KM, Pellegrini J, Unger DV, Hood RJ. The effect of intra-articular methadone on postoperative pain following anterior cruciate ligament reconstruction. *J Bone Joint Surg Am.* 2005 Jan;87(1):140-4.
345. Straw R, Colclough K, Geutjens GG. Arthroscopically assisted ACL reconstruction. Is a drain necessary? *Knee.* 2003 Sep;10(3):283-5.
346. Streich NA, Friedrich K, Gotterbarm T, Schmitt H. Reconstruction of the ACL with a semitendinosus tendon graft: a prospective randomized single blinded comparison of double-bundle versus single-bundle technique in male athletes. *Knee Surg Sports Traumatol Arthrosc.* 2008 Mar;16(3):232-8. Epub 2008 Jan 12.
347. Sun K, Tian SQ, Zhang JH, Xia CS, Zhang CL, Yu TB. ACL reconstruction with BPTB autograft and irradiated fresh

- frozen allograft. *J Zhejiang Univ Sci B*. 2009 Apr;10(4):306-16.
348. Sun K, Tian SQ, Zhang JH, Xia CS, Zhang CL, Yu TB. Anterior cruciate ligament reconstruction with bone-patellar tendon-bone autograft versus allograft. *Arthroscopy*. 2009 Jul;25(7):750-9. Epub 2009 Apr 17.
349. Sun K, Tian S, Zhang J, Xia C, Zhang C, Yu T. Anterior cruciate ligament reconstruction with BPTB autograft, irradiated versus non-irradiated allograft: a prospective randomized clinical study. *Knee Surg Sports Traumatol Arthrosc*. 2009 May;17(5):464-74. Epub 2009 Jan 13.
350. Sun K, Zhang J, Wang Y, Xia C, Zhang C, Yu T, Tian S. Arthroscopic anterior cruciate ligament reconstruction with at least 2.5 years' follow-up comparing hamstring tendon autograft and irradiated allograft. *Arthroscopy*. 2011 Sep;27(9):1195-202. Epub 2011 Jul 22.
351. Sun K, Zhang J, Wang Y, Xia C, Zhang C, Yu T, Tian S. Arthroscopic reconstruction of the anterior cruciate ligament with hamstring tendon autograft and fresh-frozen allograft: a prospective, randomized controlled study. *Am J Sports Med*. 2011 Jul;39(7):1430-8. Epub 2011 Mar 25.
352. Sun K, Zhang J, Wang Y, Zhang C, Xia C, Yu T, Tian S. A prospective randomized comparison of irradiated and non-irradiated hamstring tendon allograft for ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2012 Jan;20(1):187-94. Epub 2011 Feb 3.
353. Sun R, Chen BC, Wang F, Wang XF, Chen JQ. Prospective randomized comparison of knee stability and joint degeneration for double- and single-bundle ACL reconstruction. *Knee Surg Sports Traumatol Arthrosc*. 2015 Apr;23(4):1171-8.
354. Suomalainen P, Järvelä T, Paakkala A, Kannus P, Järvinen M. Double-bundle versus single-bundle anterior cruciate ligament reconstruction: a prospective randomized study with 5-year results. *Am J Sports Med*. 2012 Jul;40(7):1511-8. Epub 2012 Jun 11.
355. Suomalainen P, Moisala AS, Paakkala A, Kannus P, Järvelä T. Double-bundle versus single-bundle anterior cruciate ligament reconstruction: randomized clinical and magnetic resonance imaging study with 2-year follow-up. *Am J Sports Med*. 2011 Aug;39(8):1615-22. Epub 2011 May 24.
356. Svediene S, Andrijauskas A, Ivaskevicius J. Intra-articular morphine or neostigmine does not assure better pain relief. *Cent Eur J Med*. 2011;6(5):645-51.
357. Swirtun LR, Jansson A, Renström P. The effects of a functional knee brace during early treatment of patients with a nonoperated acute anterior cruciate ligament tear: a prospective randomized study. *Clin J Sport Med*. 2005 Sep;15(5):299-304.
358. Tagesson S, Öberg B, Good L, Kvist J. A comprehensive rehabilitation program with quadriceps strengthening in closed versus open kinetic chain exercise in patients with anterior cruciate ligament deficiency: a randomized clinical trial evaluating dynamic tibial translation and muscle function. *Am J Sports Med*. 2008 Feb;36(2):298-307.
359. Takeda Y, Iwame T, Takasago T, Kondo K, Goto T, Fujii K, Naruse A. Comparison of tunnel orientation between transtibial and anteromedial portal techniques for anatomic double-bundle anterior cruciate ligament reconstruction

- using 3-dimensional computed tomography. *Arthroscopy*. 2013 Feb;29(2):195-204. Epub 2012 Dec 24.
360. Tashiro T, Kurosawa H, Kawakami A, Hikita A, Fukui N. Influence of medial hamstring tendon harvest on knee flexor strength after anterior cruciate ligament reconstruction. A detailed evaluation with comparison of single- and double-tendon harvest. *Am J Sports Med*. 2003 Jul-Aug;31(4):522-9.
361. Taylor DC, DeBerardino TM, Nelson BJ, Duffey M, Tenuta J, Stoneman PD, Sturdivant RX, Mountcastle S. Patellar tendon versus hamstring tendon autografts for anterior cruciate ligament reconstruction: a randomized controlled trial using similar femoral and tibial fixation methods. *Am J Sports Med*. 2009 Oct;37(10):1946-57. Epub 2009 Aug 14.
362. Tetzlaff JE, Andrish J, O'Hara J Jr, Dilger J, Yoon HJ. Effectiveness of bupivacaine administered via femoral nerve catheter for pain control after anterior cruciate ligament repair. *J Clin Anesth*. 1997 Nov;9(7):542-5.
363. Tetzlaff JE, Dilger JA, Abate J, Parker RD. Preoperative intra-articular morphine and bupivacaine for pain control after outpatient arthroscopic anterior cruciate ligament reconstruction. *Reg Anesth Pain Med*. 1999 May-Jun;24(3):220-4.
364. Tharwat AI. Combined posterior lumbar plexus-sciatic nerve block versus combined femoral-obturator-sciatic nerve block for ACL reconstruction. *Local Reg Anesth*. 2011;4(1):1-6. Epub 2011 Feb 9.
365. Thuresson P, Sandberg R, Johansson O, Balkfors B, Westlin N. Anterior cruciate ligament reconstruction with the patellar tendon—augmentation or not? A 2-year follow-up of 82 patients. *Scand J Med Sci Sports*. 1996 Aug;6(4):247-54.
366. Tompkins M, Plante M, Monchik K, Fleming B, Fadale P. The use of a non-benzodiazepine hypnotic sleep-aid (Zolpidem) in patients undergoing ACL reconstruction: a randomized controlled clinical trial. *Knee Surg Sports Traumatol Arthrosc*. 2011 May;19(5):787-91. Epub 2011 Jan 21.
367. Tovin BJ, Wolf SL, Greenfield BH, Crouse J, Woodfin BA. Comparison of the effects of exercise in water and on land on the rehabilitation of patients with intra-articular anterior cruciate ligament reconstructions. *Phys Ther*. 1994 Aug;74(8):710-9.
368. Tran KM, Ganley TJ, Wells L, Ganesh A, Minger KI, Cucchiaro G. Intraarticular bupivacaine-clonidine-morphine versus femoral-sciatic nerve block in pediatric patients undergoing anterior cruciate ligament reconstruction. *Anesth Analg*. 2005 Nov;101(5):1304-10.
369. Trichine F, Alsaati M, Chouteau J, Moyen B, Bouzitouna M, Maza R. Patellar tendon autograft reconstruction of the anterior cruciate ligament with and without lateral plasty in advanced-stage chronic laxity. A clinical, prospective, randomized, single-blind study using passive dynamic X-rays. *Knee*. 2014 Jan;21(1):58-65. Epub 2013 Jun 28.
370. Tyler TF, McHugh MP, Gleim GW, Nicholas SJ. The effect of immediate weightbearing after anterior cruciate ligament reconstruction. *Clin Orthop Relat Res*. 1998 Dec;357:141-8.
371. Tyler TF, Nicholas SJ, Hershman EB, Glace BW, Mullaney MJ, McHugh MP. The effect of creatine supplementation on strength recovery after anterior cruciate ligament (ACL)

- reconstruction: a randomized, placebo-controlled, double-blind trial. *Am J Sports Med.* 2004 Mar;32(2):383-8.
372. Ugutmen E, Ozkan K, Kilincoglu V, Ozkan FU, Tokar S, Eceviz E, Altintas F. Anterior cruciate ligament reconstruction by using otogenous [correction of otogeneous] hamstring tendons with home-based rehabilitation. *J Int Med Res.* 2008 Mar-Apr;36(2):253-9.
373. Vadalà AP, Iorio R, De Carli A, Bonifazi A, Iorio C, Gatti A, Rossi C, Ferretti A. An extra-articular procedure improves the clinical outcome in anterior cruciate ligament reconstruction with hamstrings in female athletes. *Int Orthop.* 2013 Feb;37(2):187-92. Epub 2012 May 24.
374. Vadalà A, Iorio R, De Carli A, Argento G, Di Sanzo V, Conteduca F, Ferretti A. The effect of accelerated, brace free, rehabilitation on bone tunnel enlargement after ACL reconstruction using hamstring tendons: a CT study. *Knee Surg Sports Traumatol Arthrosc.* 2007 Apr;15(4):365-71. Epub 2006 Dec 6.
375. Vadalà A, Iorio R, De Carli A, Ferretti M, Paravani D, Caperna L, Iorio C, Gatti A, Ferretti A. Platelet-rich plasma: does it help reduce tunnel widening after ACL reconstruction? *Knee Surg Sports Traumatol Arthrosc.* 2013 Apr;21(4):824-9. Epub 2012 Apr 10.
376. Valkering KP, van Bergen CJA, Buijze GA, Nagel PHAF, Tuinebreijer WE, Breederveld RS. Pain experience and functional outcome of inpatient versus outpatient anterior cruciate ligament reconstruction, an equivalence randomized controlled trial with 12 months follow-up. *Knee.* 2015 Mar;22(2):111-6. Epub 2014 Nov 22.
377. van Kampen A, Wymenga AB, van der Heide HJ, Bakens HJ. The effect of different graft tensioning in anterior cruciate ligament reconstruction: a prospective randomized study. *Arthroscopy.* 1998 Nov-Dec;14(8):845-50.
378. Vintar N, Rawal N, Pohar M, Veselko M. Intra-articular patient-controlled analgesia improves early rehabilitation after knee surgery. *Coll Antropol.* 2010 Sep;34(3):941-5.
379. Vintar N, Rawal N, Veselko M. Intraarticular patient-controlled regional anesthesia after arthroscopically assisted anterior cruciate ligament reconstruction: ropivacaine/morphine/ketorolac versus ropivacaine/morphine. *Anesth Analg.* 2005 Aug;101(2):573-8.
380. Vogrin M, Rupreht M, Crnjac A, Dinevski D, Krajnc Z, Recnik G. The effect of platelet-derived growth factors on knee stability after anterior cruciate ligament reconstruction: a prospective randomized clinical study. *Wien Klin Wochenschr.* 2010 May;122(Suppl 2):91-5.
381. Vogrin M, Rupreht M, Dinevski D, Hašpl M, Kuhta M, Jevsek M, Knežević M, Rožman P. Effects of a platelet gel on early graft revascularization after anterior cruciate ligament reconstruction: a prospective, randomized, double-blind, clinical trial. *Eur Surg Res.* 2010;45(2):77-85. Epub 2010 Sep 1.
382. Wang CJ, Ko JY, Chou WY, Hsu SL, Ko SF, Huang CC, Chang HW. Shockwave therapy improves anterior cruciate ligament reconstruction. *J Surg Res.* 2014 May 1;188(1):110-8. Epub 2014 Jan 31.
383. Wang F, Kang HJ, Chen BC, Zhang YZ, Su YL. Primary ACL reconstruction: comparison of Achilles tendon allograft with tibial anatomical fixation and patellar tendon allograft

- with external aperture fixation. *Eur J Orthop Surg Traumatol.* 2011;21(5):333-9.
384. Wang JQ, Ao YF, Yu CL, Liu P, Xu Y, Chen LX. Clinical evaluation of double-bundle anterior cruciate ligament reconstruction procedure using hamstring tendon grafts: a prospective, randomized and controlled study. *Chin Med J (Engl).* 2009 Mar 20;122(6):706-11.
385. Wang X, Jia D, Chen X, Xu Y. Comparison of intra-articular low-dose sufentanil, ropivacaine, and combined sufentanil and ropivacaine on post-operative analgesia of isolated anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2013 May;21(5):1140-5. Epub 2012 Dec 8.
386. Waterman B, Walker JJ, Swaims C, Shortt M, Todd MS, Machen SM, Owens BD. The efficacy of combined cryotherapy and compression compared with cryotherapy alone following anterior cruciate ligament reconstruction. *J Knee Surg.* 2012 May;25(2):155-60.
387. Webster KE, Feller JA, Hameister KA. Bone tunnel enlargement following anterior cruciate ligament reconstruction: a randomised comparison of hamstring and patellar tendon grafts with 2-year follow-up. *Knee Surg Sports Traumatol Arthrosc.* 2001;9(2):86-91.
388. Wei M, Liu Y, Li Z, Wang Z. Short-term effects of radiofrequency shrinkage treatment for anterior cruciate ligament relaxation on proprioception. *J Int Med Res.* 2013 Oct;41(5):1586-93. Epub 2013 Aug 23.
389. Wigerstad-Lossing I, Grimby G, Jonsson T, Morelli B, Peterson L, Renström P. Effects of electrical muscle stimulation combined with voluntary contractions after knee ligament surgery. *Med Sci Sports Exerc.* 1988 Feb;20(1):93-8.
390. Williams BA, Bottegal MT, Kentor ML, Irrgang JJ, Williams JP. Rebound pain scores as a function of femoral nerve block duration after anterior cruciate ligament reconstruction: retrospective analysis of a prospective, randomized clinical trial. *Reg Anesth Pain Med.* 2007 May-Jun;32(3):186-92.
391. Williams BA, Kentor ML, Irrgang JJ, Bottegal MT, Williams JP. Nausea, vomiting, sleep, and restfulness upon discharge home after outpatient anterior cruciate ligament reconstruction with regional anesthesia and multimodal analgesia/antiemesis. *Reg Anesth Pain Med.* 2007 May-Jun;32(3):193-202.
392. Wipfler B, Donner S, Zechmann CM, Springer J, Siebold R, Paessler HH. Anterior cruciate ligament reconstruction using patellar tendon versus hamstring tendon: a prospective comparative study with 9-year follow-up. *Arthroscopy.* 2011 May;27(5):653-65.
393. Woods GW, O'Connor DP, Calder CT. Continuous femoral nerve block versus intra-articular injection for pain control after anterior cruciate ligament reconstruction. *Am J Sports Med.* 2006 Aug;34(8):1328-33. Epub 2006 Feb 21.
394. Wu GK, Ng GY, Mak AF. Effects of knee bracing on the sensorimotor function of subjects with anterior cruciate ligament reconstruction. *Am J Sports Med.* 2001 Sep-Oct;29(5):641-5.
395. Wulf H, Löwe J, Gnutzmann KH, Steinfeldt T. Femoral nerve block with ropivacaine or bupivacaine in day case anterior cruciate ligament reconstruction. *Acta Anaesthesiol Scand.* 2010 Apr;54(4):414-20. Epub 2010 Jan 18.

396. Xu Y, Ao YF, Wang JQ, Cui GQ. Prospective randomized comparison of anatomic single- and double-bundle anterior cruciate ligament reconstruction. *Knee Surg Sports Traumatol Arthrosc.* 2014 Feb;22(2):308-16. Epub 2013 Jan 23.
397. Yagi M, Kuroda R, Nagamune K, Yoshiya S, Kurosaka M. Double-bundle ACL reconstruction can improve rotational stability. *Clin Orthop Relat Res.* 2007 Jan;454:100-7.
398. Yasuda K, Kondo E, Ichiyama H, Tanabe Y, Tohyama H. Clinical evaluation of anatomic double-bundle anterior cruciate ligament reconstruction procedure using hamstring tendon grafts: comparisons among 3 different procedures. *Arthroscopy.* 2006 Mar;22(3):240-51.
399. Yasuda K, Tsujino J, Ohkoshi Y, Tanabe Y, Kaneda K. Graft site morbidity with autogenous semitendinosus and gracilis tendons. *Am J Sports Med.* 1995 Nov-Dec;23(6):706-14.
400. Yasuda K, Tsujino J, Tanabe Y, Kaneda K. Effects of initial graft tension on clinical outcome after anterior cruciate ligament reconstruction. Autogenous doubled hamstring tendons connected in series with polyester tapes. *Am J Sports Med.* 1997 Jan-Feb;25(1):99-106.
401. Yoshiya S, Kurosaka M, Ouchi K, Kuroda R, Mizuno K. Graft tension and knee stability after anterior cruciate ligament reconstruction. *Clin Orthop Relat Res.* 2002 Jan;394:154-60.
402. Youm YS, Cho SD, Lee SH, Youn CH. Modified transtibial versus anteromedial portal technique in anatomic single-bundle anterior cruciate ligament reconstruction: comparison of femoral tunnel position and clinical results. *Am J Sports Med.* 2014 Dec;42(12):2941-7. Epub 2014 Sep 30.
403. Zaffagnini S, Bruni D, Marcheggiani Muccioli GM, Bonanzinga T, Lopomo N, Bignozzi S, Marcacci M. Single-bundle patellar tendon versus non-anatomical double-bundle hamstrings ACL reconstruction: a prospective randomized study at 8-year minimum follow-up. *Knee Surg Sports Traumatol Arthrosc.* 2011 Mar;19(3):390-7. Epub 2010 Jul 29.
404. Zaffagnini S, Bruni D, Russo A, Takazawa Y, Lo Presti M, Giordano G, Marcacci M. ST/G ACL reconstruction: double strand plus extra-articular sling vs double bundle, randomized study at 3-year follow-up. *Scand J Med Sci Sports.* 2008 Oct;18(5):573-81. Epub 2008 Jan 14.
405. Zaffagnini S, Marcacci M, Lo Presti M, Giordano G, Iacono F, Neri MP. Prospective and randomized evaluation of ACL reconstruction with three techniques: a clinical and radiographic evaluation at 5 years follow-up. *Knee Surg Sports Traumatol Arthrosc.* 2006 Nov;14(11):1060-9. Epub 2006 Aug 15.
406. Zätterström R, Fridén T, Lindstrand A, Moritz U. Early rehabilitation of acute anterior cruciate ligament injury—a randomized clinical trial. *Scand J Med Sci Sports.* 1998 Jun;8(3):154-9.
407. Zehir S, Zehir R. Suspensory fixation versus novel transverse crosspin for femoral fixation in anterior cruciate ligament reconstruction. *Arch Orthop Trauma Surg.* 2014 Nov;134(11):1579-85. Epub 2014 Jul 22.
408. Zhang Q, Zhang S, Cao X, Liu L, Liu Y, Li R. The effect of remnant preservation on tibial tunnel enlargement in ACL reconstruction with hamstring autograft: a prospective

- randomized controlled trial. *Knee Surg Sports Traumatol Arthrosc.* 2014 Jan;22(1):166-73. Epub 2012 Dec 15.
409. Zhang Q, Zhang S, Li R, Liu Y, Cao X. Comparison of two methods of femoral tunnel preparation in single-bundle anterior cruciate ligament reconstruction: a prospective randomized study. *Acta Cir Bras.* 2012 Aug;27(8):572-6.
410. Zhang Z, Gu B, Zhu W, Zhu L. Double-bundle versus single-bundle anterior cruciate ligament reconstructions: a prospective, randomized study with 2-year follow-up. *Eur J Orthop Surg Traumatol.* 2014 May;24(4):559-65. Epub 2013 Apr 18.
411. Zhang Z, Gu B, Zhu W, Zhu L, Li Q, Du Y. Arthroscopic single-bundle versus triple-bundle anterior cruciate ligament reconstruction. *Acta Orthop Traumatol Turc.* 2014;48(4):413-8.
412. Zhao J, He Y, Wang J. Double-bundle anterior cruciate ligament reconstruction: four versus eight strands of hamstring tendon graft. *Arthroscopy.* 2007 Jul;23(7):766-70.