

**Table e-1. ICD-9-CM diagnosis codes for pregnancy and delivery**

<b>Code</b>	<b>Diagnosis</b>
<b>Ectopic and molar pregnancy (630-633.91)</b>	
630	Hydatidiform mole
631.0-631.8	Other abnormal product of conception
632	Abortion, missed
633.00-633.91	Ectopic pregnancy
<b>Other pregnancy with abortive outcome (634.00-639.9)</b>	
634.00-634.92	Spontaneous abortion
635.00-635.92	Legally induced abortion
636.00-636.92	Illegally induced abortion
637.00-637.92	Unspecified abortion
638.0-638.9	Failed attempted abortion
639.0-639.9	Complications following abortion and ectopic and molar pregnancies
<b>Complications mainly related to pregnancy (640.00-649.82)</b>	
640.00-640.93	Hemorrhage in early pregnancy
641.00-641.93	Antepartum hemorrhage, abruptio placentae, and placenta previa
642.00-642.94	Hypertension complicating pregnancy, childbirth, and the puerperium
643.00-643.93	Excessive vomiting in pregnancy
644.00-644.21	Early or threatened labor
645.10-645.23	Late pregnancy
646.00-646.93	Other complications of pregnancy, not elsewhere classified
647.00-647.94	Infectious & parasitic condition in mother classifiable elsewhere, but complicating pregnancy/childbirth
648.00-648.94	Other current condition in mother classifiable elsewhere, complicating pregnancy, childbirth, puerperium
649.00-649.82	Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium
<b>Normal delivery, and other indications for care in pregnancy, labor, and delivery (650-659.93)</b>	
650-650	Normal delivery
651.00-651.93	Multiple gestation

---

652.00-652.93	Malposition and malpresentation of fetus
653.00-653.93	Disproportion
654.00-654.94	Abnormality of organs and soft tissues of pelvis
655.00-655.93	Known or suspected fetal abnormality affecting management of mother
656.00-656.93	Other known or suspected fetal and placental problems affecting management of mother
657.00-657.03	Polyhydramnios
658.00-658.93	Other problems associated with amniotic cavity and membranes
659.00-659.93	Other indications for care or intervention related to labor and delivery, NEC

---

**Complications occurring mainly in the course of labor and delivery (660.00-669.94)**

---

660.00-660.93	Obstructed labor
661.00-661.93	Abnormality of forces of labor
662.00-662.33	Long labor
663.00-663.93	Umbilical cord complications
664.00-664.94	Trauma to perineum and vulva during delivery
665.00-665.94	Other obstetrical trauma
666.00-666.34	Postpartum hemorrhage
667.00-667.14	Retained placenta or membranes, without hemorrhage
668.00-668.94	Complications of the administration of anesthetic or other sedation in labor and delivery
669.00-669.94	Other complications of labor and delivery, not elsewhere classified

---

**Complications of the puerperium (670.00 –677)**

---

670.00-670.84	Major puerperal infection
671.00-671.94	Venous complications in pregnancy and the puerperium
672.00-672.04	Pyrexia of unknown origin during the puerperium
673.00-673.84	Obstetrical pulmonary embolism
674.00-674.94	Other and unspecified complications of the puerperium, not elsewhere classified
675.00-675.94	Infections of the breast and nipple associated with childbirth
676.00-676.94	Other disorders of the breast associated with childbirth and disorders of lactation

---

---

677-677	Late effect of complication of pregnancy, childbirth, and the puerperium
---------	--

---

**Other maternal and fetal complications (678.00 – 679.14)**

---

678.00-678.13	Other fetal conditions
---------------	------------------------

679.00-679.14	Complications of <i>in utero</i> procedures
---------------	---

---

Abbreviations: ICD-9-CM = International Classification of Diseases, Ninth Revision, Clinical

Modification; NEC = necrotizing enterocolitis

**Table e-2. ICD-9-CM procedure codes for pregnancy and delivery**

<b>Code</b>	<b>Procedure</b>
V22.0	Supervision of normal first pregnancy
V22.1	Supervision of other normal pregnancy
V22.2	Pregnant state, incidental
V23.1	Supervision of high-risk pregnancy with history of trophoblastic disease
V23.2	Supervision of high-risk pregnancy with history of abortion
V23.3	Supervision of high-risk pregnancy with grand multiparity
V23.41	Pregnancy with history of pre-term labor
V23.42	Pregnancy with history of ectopic pregnancy
V23.49	Pregnancy with other poor obstetric history
V23.5	Supervision of high-risk pregnancy with other poor reproductive history
V23.7	Supervision of high-risk pregnancy with insufficient prenatal care
V23.81	Supervision of high-risk pregnancy with elderly primigravida
V23.82	Supervision of high-risk pregnancy with elderly multigravida
V23.83	Supervision of high-risk pregnancy with young primigravida
V23.84	Supervision of high-risk pregnancy with young multigravida
V23.85	Pregnancy resulting from assisted reproductive technology
V23.86	Pregnancy with history of in utero procedure during previous pregnancy
V23.87	Pregnancy with inconclusive fetal viability
V23.89	Supervision of other high-risk pregnancy
V23.9	Supervision of unspecified high-risk pregnancy
V72.42	Pregnancy examination or test, positive result

Abbreviation: ICD-9-CM = International Classification of Diseases, Ninth Revision, Clinical Modification

**Table e-3. CPT codes for live birth delivery**

<b>Code</b>	<b>Procedure</b>
1960	Anesthesia for vaginal delivery only
1961	Anesthesia for cesarean delivery only
1962	Anesthesia for urgent hysterectomy following delivery
1963	Anesthesia for cesarean hysterectomy without any labor analgesia/anesthesia care
1967	Neuraxial labor analgesia/anesthesia for planned vaginal delivery (this includes any repeat subarachnoid needle placement and drug injection and/or any necessary replacement of an epidural catheter during labor)
1968	Anesthesia for cesarean delivery following neuraxial labor analgesia/anesthesia (list separately in addition to code for primary procedure performed)
1969	Anesthesia for cesarean hysterectomy following neuraxial labor analgesia/anesthesia (list separately in addition to code for primary procedure performed)
59050	Fetal monitoring during labor by consulting physician (ie, non-attending physician) with written report; supervision and interpretation
59051	Fetal monitoring during labor by consulting physician (ie, non-attending physician) with written report; interpretation only
59400	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care
59409	Vaginal delivery only (with or without episiotomy and/or forceps)
59410	Vaginal delivery only (with or without episiotomy and/or forceps); including postpartum care
59412	External cephalic version, with or without tocolysis
59414	Delivery of placenta (separate procedure)
59430	Postpartum care only (separate procedure)
59510	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care
59514	Cesarean delivery only
59515	Cesarean delivery only; including postpartum care

---

59525	Subtotal or total hysterectomy after cesarean delivery (list separately in addition to code for primary procedure)
59610	Routine obstetric care including antepartum care, vaginal delivery (with or without episiotomy, and/or forceps) and postpartum care, after previous cesarean delivery
59612	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps)
59614	Vaginal delivery only, after previous cesarean delivery (with or without episiotomy and/or forceps); including postpartum care
59618	Routine obstetric care including antepartum care, cesarean delivery, and postpartum care, following attempted vaginal delivery after previous cesarean delivery
59620	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery
59622	Cesarean delivery only, following attempted vaginal delivery after previous cesarean delivery; including postpartum care
99436	Attendance at delivery and first stabilization of newborn
99440	Newborn resuscitation

---

Abbreviation: CPT = Current Procedural Terminology